




Cardas Audio



Clear Beyond Interconnect

Performance

Clear Beyond Interconnect, our ultimate flagship interconnect and a marvel of modern cable design, features our most advanced Matched Propagation Conductors. Clear Beyond Interconnect brings noteworthy improvements in spatial imaging, dynamics, and low frequency impact while retaining the classic Cardas musicality.

Clear Beyond Interconnect builds on over 30 years of Cardas Audio's relentless dedication to the perfection of high performance cables. Superior shielding and advanced air-tube suspension geometry result in an O.D. of .511", which necessitates the use of our XRCA 13 adaptor for single-ended termination, and a re-designed CG XLR for balanced cables.

More than anything, Clear Beyond Interconnect is musical. Tonal balance is completely neutral with unsurpassed speed and transparency. Each pair is made to order and hand terminated only by our senior technicians.


Standard Terminations: Cardas SRCA or CG XLR soldered by hand in Bandon Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 47 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket. Geometry: Star-Quad 4 conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal carrying conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 4x26.5 AWG

Outside Diameter: 0.511"/13mm



Clear Beyond Interconnect

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft
Retail	2,950.00	3,750.00	4,550.00	5,350.00	6,150.00	6,950.00

Prices are subject to change without notice.

For other lengths please call or email for a quote.





Clear Interconnect

Performance

Completely neutral and transparent. Superb dynamics, high frequency extension and speed. Our flagship interconnect designed for reference level systems in acoustically neutral listening rooms. Perfect control over the entire frequency range. Extracts every detail and remains musical. Works great in long or short runs.

Standard Terminations: Cardas SRCA or CG XLR.
Hand terminated in Bandon, Oregon.


Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 41 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Equilateral triad 3 conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal carrying conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 3x25.5 AWG

Outside Diameter: 0.450"/11.43mm



Clear Interconnect

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	1,450.00	2,020.00	2,590.00	3,160.00	3,730.00	4,300.00	4,870.00	5,440.00	6,010.00	6,580.00

For longer lengths:
(Length in meters) x \$1140 + \$880 = retail price



Clear Reflection Interconnect

Performance

Designed to bring flagship level performance to real world systems, this cable has excellent high frequency extension and speed but is still slightly forgiving. Very neutral and dynamic with pitch black background. Clear Reflection pays homage to the Golden Reference, blending the very best of old with the very best of new. Clear Reflection also introduces a new copper colored SRCA which matches the black and copper cosmetics from Clear Reflection Speaker cable.


Standard Terminations: Cardas SRCA-CU or CG XLR-CU. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in extruded PFA jacket. Geometry: Suspended air core twisted pair with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the double composite shields of tinned copper and magnet wire away from the signal conductors. Finished in black ultra soft extruded TPR jacket.

Gauge: 2x25.5 AWG

Outside Diameter: 0.420"/10.66mm



Clear Reflection Interconnect

<i>sold in pairs</i>	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
<i>Retail</i>	850.00	1,150.00	1,450.00	1,750.00	2,050.00	2,350.00	2,650.00	2,950.00	3,250.00	3,550.00

For longer lengths:
 (Length in meters) x \$600 + \$550 = retail price



Cardas Audio

Clear Cygnus Interconnect

Performance

Clear Cygnus Interconnect benefits greatly from the latest developments in the Clear product line, including a more economical version of Clear Beyond Interconnect's air-tube suspension. This cable replaces Clear Light and brings added performance to the table without adding much to the price. Clear Cygnus is more detailed, but also slightly richer with better low frequency performance. Clear Cygnus performs well in any system at any length, in both single ended and balanced configurations. If you want Cardas musicality but with a neutral tonal balance, look no further.

Standard Terminations: Cardas GRMO or Neutrik XLR. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in double layered PTFE tape wrapped jacket.

Geometry: Star-Quad 4 conductor, with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 4x25.5 AWG

Outside Diameter: 0.384"/9.76mm

Clear Cygnus Interconnect



sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	590.00	790.00	990.00	1,190.00	1,390.00	1,590.00	1,790.00	1,990.00	2,190.00	2,390.00

For longer lengths:

(Length in meters) x \$400 + \$390 = retail price

Cardas CG XLR upgrade:

Retail	300.00
--------	--------





Clear Sky Interconnect

Performance

Transparent, dynamic, and neutral. Lowest priced interconnect using Matched Propagation technology. Excellent in long or short lengths. Suitable for any high-end system.

Standard Terminations: Cardas GRMO RCA or Neutrik XLR. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Braided cross-field layer geometry, insulated in advanced ultra thin FEP tape wrapped jacket.

Geometry: Shielded twisted pair with non conductive poly-e air-tubes bound with advanced ultra thin FEP tape wrap. Outer layer uses compressed poly-e air-tubes to suspend the tin plated copper braided shield and extruded alcryn rubber outer jacket away from the conductors.

Gauge: 2x23.5 AWG

Outside Diameter: 0.365"/9.27mm



Clear Sky Interconnect

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	370.00	490.00	610.00	730.00	850.00	970.00	1,090.00	1,210.00	1,330.00	1,450.00

For longer lengths:
 (Length in meters) x \$240 + \$250 = retail price

CARDAS CLEAR SKY INTERCONNECT

MADE IN USA

CARDAS CLEAR SKY INTERCONNECT

MADE IN USA



Parsec Interconnect

Performance

Neutral with a hint of warmth on top. Very transparent for a cable of this price range. Excellent blend of warm midrange with extended bass and treble. This is the runaway favorite for best value in cables. Performs at levels more than twice its price.

Standard Terminations: Cardas GRMO RCA or Neutrik XLR.
Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Braided cross-field layer geometry, insulated in FEP tape wrapped jacket.

Geometry: Shielded twisted pair with poly-e air-tubes bound with carbon impregnated FEP tape wrap. Outer layer uses compressed poly-e air-tubes to suspend the tin plated copper braided shield and outer extruded alcryn rubber jacket away from the conductors.

Gauge: 2x23.5 AWG
Outside Diameter: 0.360"/9.14mm

Parsec Interconnect

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	270.00	360.00	450.00	540.00	630.00	720.00	810.00	900.00	990.00	1,080.00

For longer lengths:
(Length in meters) x \$180 + \$180 = retail price



Iridium Interconnect

Performance

Combining a star quad arrangement with our proven golden ratio copper conductors, Iridium achieves the perfect balance of detail and warmth. Natural treble is blended with a smooth midrange and quick bass response for a very musical interconnect.

Standard Terminations: Cardas GRMO or Neutrik XLR. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a FEP jacket.

Geometry: Shielded Star-Quad 4 conductor bound together in PTFE tape. Hybrid shield combines a spiral of tin plated copper and a carbon impregnated PTFE tape. Finished in an ultra soft and flexible extruded TPR jacket.

Gauge: 4x24.5 AWG

Outside Diameter: 0.300"/ 7.62mm



MADE IN USA

CARDAS AUDIO, EST 1987

CARDAS IRIDIUM INTERCONNECT

MADE IN USA

Iridium Interconnect

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	215.00	250.00	285.00	320.00	355.00	390.00	425.00	460.00	495.00	530.00

For longer lengths:
(Length in meters) x \$70 + \$180 = retail price





Crosslink Interconnect

Performance

Warm and forgiving but still detailed and musical. Designed for entry level to mid level stereo and home theater applications. Available with RCA or XLR.

Standard Terminations: Cardas GRCM RCA or Neutrik XLR. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Grade 2, 99.99% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions.

Cross-field layer geometry, insulated in a polyurethane jacket.

Geometry: Twisted pair with natural cotton filler bound with FEP tape wrap. Tin plated copper spiral shield, PVC outer jacket.

Gauge: 2x20.5 AWG

Outside Diameter: 0.303"/7.69mm

Crosslink Interconnect

<i>sold in pairs</i>	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
<i>Retail</i>	140.00	170.00	200.00	230.00	260.00	290.00	320.00	350.00	380.00	410.00

For longer lengths:

(Length in meters) x \$60 + \$110 = retail price






Clear Beyond Speaker

Performance

Based on the flagship Clear speaker cable and developed to go beyond reference performance in cost no object systems where the speakers require large amounts of current flow, Clear Beyond speaker is absolutely neutral and transparent. Perfectly balanced with articulate lows and delicate highs. Amazing dynamics with zero compression. This cable is like running two pairs of Clear Speaker inside one jacket and can be internally bi-wired or bi-amped.



Standard Terminations: Cardas spades or bananas forged using 10,000psi in Bandon Oregon.


Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions ranging from ultra fine 41 AWG to 25 AWG. Cross-field layer geometry, insulated in an FEP tape wrapped jacket.

Geometry: Concentrically wound eight conductor with anti-static PTFE air tubes and a flexible TPR outer jacket.

Gauge: 8x10.5 AWG

Outside Diameter: 0.934"/23.72mm



Clear Beyond Speaker

<i>sold in pairs</i>	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	4,180.00	5,510.00	6,840.00	8,170.00	9,500.00	10,830.00	12,160.00	13,490.00	14,820.00	16,150.00

For longer lengths:

(Length in meters) x \$2660 + \$2850 = retail price

Bi-wire fee:

Retail	700.00
---------------	--------





Cardas Audio

Clear Speaker

Performance

The most musical and revealing speaker cable ever produced by Cardas Audio. Designed to be completely transparent and holographic, this cable matches the legendary Cardas sound with unforgiving detail delivery.

Standard Terminations: Cardas spades or bananas forged using 10,000psi in Bandon Oregon. Not available with internal bi-wire. See our Clear Jumpers for bi-wire applications.


Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions ranging from ultra fine 41 AWG to 25 AWG. Cross-field layer geometry, insulated in an FEP tape wrapped jacket.

Geometry: Concentrically wound four conductor surrounded by anti-static fibers with a flexible TPR outer jacket.

Gauge: 4x10.5 AWG

Outside Diameter: 0.675"/17.14mm



Clear Speaker

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	2,090.00	2,755.00	3,420.00	4,085.00	4,750.00	5,415.00	6,080.00	6,745.00	7,410.00	8,075.00

For longer lengths:

(Length in meters) x \$1330 + \$1425 = retail price

Clear Jumpers

Clear Bi-wire Jumpers use Clear speaker conductors, arranged like a very short Clear speaker cable.

Standard Termination: Forged spades or forged bananas.

Clear Jumpers

Retail	350.00
--------	--------





Cardas Audio

Clear Reflection Speaker

Performance

Designed to blend the best of Golden Reference with the benefits of Clear and Matched Propagation technology. This cable has the richness and musicality of the classic and very successful Golden Reference, but also has the clarity and transparency of Clear. It can be internally bi-wired or tri-wired.


Standard Terminations: Cardas spades or bananas forged using 10,000psi in Bandon Oregon.

Design/Construction

Conductors: Matched Propagation, Kevlar core Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a FEP taped jacket. Geometry: Anti-static fiber core Tri-Quad 12 conductor with anti-static filler to separate the three groups bound together in FEP tape. Flexible TPR outer jacket.

Gauge: 12x11.5 AWG

Outside Diameter: 0.680"/17.27mm



Clear Reflection

<i>sold in pairs</i>	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	1,400.00	1,750.00	2,100.00	2,450.00	2,800.00	3,150.00	3,500.00	3,850.00	4,200.00	4,550.00

For longer lengths:

(Length in meters) x \$700 + \$1050 = retail price

Bi-wire fee:

Retail	200.00
--------	--------



Cardas Audio

Clear Cygnus Speaker

Performance

It wasn't easy to improve upon Clear Light without giving up it's incredible value, but we did it! Clear Cygnus is more revealing, more holographic, and more refined. Matched Propagation conductors help to provide a very open and dynamic sound. In addition it can be internally bi-wired which wasn't an option with Clear Light.

Standard Terminations: Cardas spades or bananas forged using 10,000psi in Bandon Oregon.

Design/Construction

Conductors: Braided Matched Propagation Kevlar core, Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE tape and Electro-Dissipative dielectric.

Geometry: Concentrically braided four conductor surrounded by anti-static fibrillated polypropylene fibers. Outside jacket is a soft and flexible TPE rubber.

Gauge: 4x15 AWG

Outside Diameter: 0.695"/17.67mm




Clear Cygnus Speaker

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	600.00	840.00	1,080.00	1,320.00	1,560.00	1,800.00	2,040.00	2,280.00	2,520.00	2,760.00

For longer lengths:
(Length in meters) x \$480 + \$360 = retail price

Bi-wire fee:

Retail	200.00
--------	--------





Cardas Audio

Clear Sky X4 Speaker

Performance

Based on its big brother, Clear Cygnus speaker cable, the newly up-graded Clear Sky X4 now offers better resolution than the original Sky, and is more suitable for a wider range of speakers. Our new braided conductors allow reduced production time with minimal sacrifice of performance. The new X4 geometry also allows for internal bi-wire.

Finished with Cardas custom printed shrink tubing instead of machined aluminum strain relief, and soldered connectors instead of compression die forged terminations, Clear Sky X4 brings serious performance to the most affordable end of the Clear cable line.

Standard Terminations: Cardas CGMS spades or CABD bananas. Hand soldered in Bandon, Oregon.

Design/Construction

Conductors: Braided Matched Propagation, fibrillated polypropylene core, Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a low noise PTFE tape and Electro-Dissipative dielectric.

Geometry: Concentrically braided four conductor surrounded by anti-static coated fibrillated polypropylene fibers. Outside jacket is very flexible Alcryn Rubber.

Gauge: 4x15 AWG

Outside Diameter: 0.720"8.30mm



Bi-wire fee:

Retail	150.00
--------	--------

Clear Sky X4 Speaker

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	300.00	460.00	620.00	780.00	940.00	1,100.00	1,260.00	1,420.00	1,580.00	1,740.00

For longer lengths:

(Length in meters) x \$320 + \$140 = retail price



Parsec Speaker

Performance

Superb balance of characteristics. Classic Cardas midrange, quick bass, rich harmonics, and a naturally extended top octave. Works great with virtually any speaker including bi-wire. This cable evolved from Quadlink and is a mix of old and new technology found in our flagship cables.

Standard Terminations: Cardas CGMS spades or CABB bananas. Hand soldered in Bandon Oregon.


Design/Construction

Conductors: Braided Kevlar core Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Geometry: Nylon air tube core surrounded by Anti-static fibers, Star-Quad 4 conductor with PTFE air-tubes bound together in FEP tape. Flexible TPR outer jacket.

Gauge: 4x15.5 AWG

Outside Diameter: 0.500"/12.7mm



Parsec Speaker

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	275.00	375.00	475.00	575.00	675.00	775.00	875.00	975.00	1,075.00	1,175.00

For longer lengths:
(Length in meters) x \$200 + \$175 = retail price

Bi-wire fee:

Retail	110.00
--------	--------





Cardas Audio

Iridium Speaker

Performance

Suitable for virtually any amp/speaker combination. Perfect for long or short runs. Rich midrange with strong bass and smooth treble. Iridium speaker cable performs like a product costing much more. This cable is very soft and flexible for its size. Jumpers are required for bi-wire.

Standard Terminations: Cardas CGMS spades or CAGE bananas. Terminated by hand in Bandon, Oregon.


Design/Construction

Conductors: Grade 1, 99.9999% pure OFHC with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a FEP jacket.

Geometry: Twisted pair with natural cotton filler bound with PTFE tape wrap. Finished in an ultra soft and flexible extruded TPR jacket.

Gauge: 2x11.5 AWG

Outside Diameter: 0.415"/10.54mm



Iridium Speaker

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	200.00	260.00	320.00	380.00	440.00	500.00	560.00	620.00	680.00	740.00

For longer lengths:
(Length in meters) x \$120 + \$140 = retail price



Crosslink Speaker

Performance

Well balanced sound with great detail. Perfect for mid to entry level two channel and multi channel systems. Can be single wire or bi-wired. Also available in bulk so you can brew your own if you like. Printed with CL2 rating for in-wall use.


Standard Terminations: Cardas GRS spades or CABA bananas. Hand soldered in Bandon Oregon.

Design/Construction

Conductors: Air-tube core, grade 1 oxygen free copper.
Gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a poly jacket.
Geometry: Star-Quad 4 conductor with natural cotton filler bound together in FEP tape. Outer jacket is PVC

Gauge: 4x14.5 AWG

Outside Diameter: 0.365"/9.27mm



Crosslink Speaker

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	175.00	210.00	245.00	280.00	315.00	350.00	385.00	420.00	455.00	490.00

For longer lengths:
(Length in meters) x \$70 + \$140 = retail price

Bi-wire fee:

Retail	65.00
--------	-------



101 Speaker

Performance

Smooth, non-fatiguing, and musical. The new entry level 101 sets the standard for high value speaker cables, and it's made in the USA! Available in bulk on 250 foot spools or factory terminated. Bare copper conductors make this quick and easy to terminate for DIY users.

Standard Terminations: Cardas CAGE bananas or GRS spades. Hand soldered in Bandon Oregon.

Design/Construction

Conductors: Air-tube core, Cardas OFHC bare copper. Gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a poly jacket.

Geometry: Twisted pair two conductor with natural cotton filler bound together with PFA tape. Super flexible TPR outer jacket.

Gauge: 2x14 AWG

Outside Diameter: 0.365"/9.27mm



101 Speaker (factory terminated pairs)

sold in pairs	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	125.00	150.00	175.00	200.00	225.00	250.00	275.00	300.00	325.00	350.00

For longer lengths:
(Length in meters) x \$50 + \$100 = retail price



101 Speaker (250ft/76m spool)

Retail	1,687.50	(6.75 per foot)
--------	----------	-----------------



Clear Jumpers

Clear Bi-wire Jumpers use Clear speaker conductor, arranged like a very short Clear speaker cable. Clear Jumpers measure 10" (25.4cm).

As with all Clear speaker cables, Clear Bi-wire jumpers use multi-stranded concentric conductors. The outside of one concentric conductor is tied to the inside of the other for each lead (positive & negative). This is why the positive and negative leads are bundled together and can not be separated.

Standard Termination: Cardas spades or bananas forged using 10,000psi in Bandon Oregon.

Clear Jumpers

Retail	350.00
--------	--------

9.5 AWG Jumpers

Design/Construction

6"/15.24cm bi-wire jumpers.

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Standard Terminations: Cardas CGMS spades or CABD bananas. Hand soldered in Bandon Oregon. Sold in sets of 4.



9.5 AWG Jumpers

Retail	210.00
--------	--------

11.5 AWG Jumpers

Design/Construction

6"/15.24cm bi-wire jumpers.

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Standard Terminations: Cardas GRS spades or CABE bananas. Hand soldered in Bandon Oregon. Sold in sets of 4.



11.5 AWG Jumpers

Retail	150.00
--------	--------

CJP Jumper Plates

Design/Construction

Stamped from solid Grade 1, 99.9999% pure oxygen free copper.

Designed to fit 1.5" (38.1mm) binding post spacing. Dual spade size can fit standard 6.3mm or larger 9mm binding posts. Can be carefully bent to fit application if needed. Available in bare copper or silver/rhodium plate. Sold in sets of 4.



CLJP R

Retail	80.00
--------	-------

CLJP C

Retail	32.00
--------	-------



Clear Beyond Power XL

Performance

To create Clear Beyond Power XL, we took our very popular Clear Beyond Power, and scaled everything up. Bigger conductors, better shielding and improved noise filtering. We then added yet another level of noise filtration, extending the path to ground to three times the length of the cable itself through a simple and graceful geometry that could only come from the mind of George Cardas.

This is our most sophisticated power cable ever, and is designed to provide the largest, most power hungry amplifiers with clean, high current, while also giving sensitive source components the stable, clear and noise free power they require for the absolute highest fidelity.

Terminated with our all new premium Cardas E-5 connectors, featuring silver/rhodium plated copper contact surfaces, Clear Beyond Power XL is designed for the most demanding electronics.

Standard Terminations: Soldered and crimped Cardas E-5 premium power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free tin plated copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a TPE jacket. Each conductor has multiple lay lengths and has it's own shield.

Geometry: Entire cable is double shielded with tin plated copper and magnet wire. Twisted triad mixed with PVC air tubes bound with FEP tape wrap. Super flexible TPR outer jacket.

Filtration: A torodial ground filter is built into the termination and works in unison with a ground leg extension system.

Gauge: 3x9 AWG

Outside Diameter: 0.715"18.17mm



Clear Beyond Power XL

sold each	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	2,050.00	2,265.00	2,480.00	2,695.00	2,910.00	3,125.00	3,340.00	3,555.00	3,770.00	3,985.00

For longer lengths:
(Length in meters) x \$430 + \$1835 = retail price



Clear Beyond Power

Performance

Designed to take current delivery and power filtration to the next level... Clear Beyond Power takes the "bigger is better" approach. Larger conductors deliver more power and our largest filter scrubs the power line clean. Don't let the size fool you, it's right at home powering front end components and giant mono block amplifiers. Completely neutral and transparent. The ultimate reference power cable.



Standard Terminations: Soldered and crimped Cardas power plugs with silver/rhodium plated solid copper contacts.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free tin plated copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Geometry: Double shielded with tin plated copper and magnet wire. Twisted triad mixed with PVC air tubes bound with FEP tape wrap. Super flexible TPR outer jacket.

Gauge: 3x10 AWG

Outside Diameter: 0.650"16.51mm



Clear Beyond Power

sold each	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	795.00	920.00	1,045.00	1,170.00	1,295.00	1,420.00	1,545.00	1,670.00	1,795.00	1,920.00

For longer lengths:
(Length in meters) x \$250 + \$670 = retail price



Clear Power

Performance

A reference level power cable that applies all the lessons learned over 25 years of developing high performance power cables; it was born from the ashes of the highly successful Golden Reference Power. Completely neutral tonal balance with additional filtering which increases dynamics. Large conductors make it suitable for those power hungry electronics and refined enough to power your more delicate source components.

Standard Terminations: Soldered and crimped Cardas power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Double shielded with tin plated copper and magnet wire. Twisted triad mixed with PE air tubes bound with PTFE tape wrap. Super flexible TPR jacket.

Gauge: 3x11.5 AWG

Outside Diameter: 0.610"/15.49mm



Clear Power

sold each	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	620.00	720.00	820.00	920.00	1,020.00	1,120.00	1,220.00	1,320.00	1,420.00	1,520.00

For longer lengths:

(Length in meters) x \$200 + \$520 = retail price



Clear Cygnus Power

Performance

Like a scaled down version of Clear Beyond Power, Cygnus Power features three well shielded conductors, and a passive noise filter. Although designed for use with source equipment and small-to-medium sized amplifiers, Cygnus Power has the current handling capacity for even larger, tube powered amps. As you would expect, Cygnus Power pairs well with the rest of the Cygnus lineup, and provides many of the benefits of it's higher-capacity siblings, at a fraction of the price.

Standard Terminations: Soldered and crimped Cardas power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free tin plated copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Geometry: Double shielded with tin plated copper and magnet wire. Twisted triad mixed with PVC air tubes bound with FEP tape wrap. Flexible TPR outer jacket.

Gauge: 3x13 AWG

Outside Diameter: 0.500"/12.7mm



Clear Cygnus Power

sold each	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	370.00	440.00	510.00	580.00	650.00	720.00	790.00	860.00	930.00	1,000.00

For longer lengths:
(Length in meters) x \$140 + \$300 = retail price





Parsec Power

Performance

Designed to reject and filter noise, Parsec Power borrows its conductors from the Clear M found higher up in the Cardas power cable line. Very flexible and suitable for both front end components and amplifiers. Brings your system to life with increased dynamics.

Standard Terminations: Soldered and crimped Cardas power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free tin plated copper, gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Geometry: Double shielded with tin plated copper and magnet wire. Twisted triad mixed with PVC air tubes bound with FEP tape wrap. Super flexible TPR outer jacket.

Gauge: 3x14 AWG

Outside Diameter: 0.500"/12.7mm

Parsec Power

<i>sold each</i>	<i>.5m/1.6ft</i>	<i>1m/3.3ft</i>	<i>1.5m/4.9ft</i>	<i>2m/6.5ft</i>	<i>2.5m/8.2ft</i>	<i>3m/9.8ft</i>	<i>3.5m/11.5ft</i>	<i>4m/13.1ft</i>	<i>4.5m/14.7ft</i>	<i>5m/16.4ft</i>
<i>Retail</i>	250.00	300.00	350.00	400.00	450.00	500.00	550.00	600.00	650.00	700.00

For longer lengths:

(Length in meters) x \$100 + \$200 = retail price





Iridium Power

Performance

Joining Iridium Speaker, Interconnect & Phono, Iridium Power brings high performance power delivery to the affordable end of our product line.

Shielded, with two Cardas 11.5 AWG Crossfield Conductors, PFA tape dielectric, and a toroidal filter, Iridium Power shares design features with our higher end power cables. Iridium Power is light & flexible, and comes terminated with our own Cardas 3455R Power Connectors. It has enough capacity to be used with almost any electronics from sensitive digital sources to power amplifiers.

Standard Terminations: Soldered and crimped Cardas power plugs with silver/rhodium plated solid copper contacts. Terminated by hand in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions.

Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Double shielded using aluminum/mylar and tinned copper. Twisted pair with natural cotton filler bound with PTFE tape wrap. Super flexible Alcryn rubber jacket.

Gauge: 2x11.5 AWG

Outside Diameter: 0.490"/10.1mm



Iridium Power

sold each	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	210.00	240.00	270.00	300.00	330.00	360.00	390.00	420.00	450.00	480.00

For longer lengths:
(Length in meters) x \$60 + \$180 = retail price



Clear Headphone cable

Performance

We took the Clear speaker cable and scaled it down to work for only the best headphones on the planet. This is a dual mono run (two completely isolated cables for left and right) just like a pair of speaker cables. Perfect for balanced or single ended operation. Completely neutral, detailed, with lifelike dynamics. This cable helps you to forget about the headphones and get lost in the music.

Standard Termination: Cardas 1/4" stereo and Sennheiser HD800. There are too many options available to list them all. Please contact us to learn about the newest additions to our large selection of headphone terminations.

Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in an FEP tape wrapped jacket. Geometry: Concentrically wound two conductor flanked by anti-static fibers. Braided nylon outer jacket.

Gauge: 8x26.5 AWG

Outside Diameter: 0.170"/4.31mm



Cardas 1/4" Stereo



1/8" Stereo




Dual 3 pin XLR



Single 4 pin XLR



90° 1/8" Stereo




Balanced Dual 1/8"




HD800



Audeze



HiFi Man



HD700



Balanced 2.5mm



Alpha Dog

Clear Headphone

sold as single	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	520.00	560.00	600.00	640.00	680.00	720.00	760.00	800.00	840.00	880.00

For longer lengths:
(Length in meters) x \$80 + \$480 = retail price



Cardas CG XLR upgrade:

Retail	150.00
--------	--------



Cardas Audio

Clear Light Headphone cable

Performance

Design based on our flagship headphone cable but with both left and right channels in a single cable. Matched Propagation conductors help to achieve very well balanced performance. Completely neutral and highly dynamic, a great match for virtually any headphone.



Standard Termination: Cardas 1/4" stereo and Sennheiser HD650. There are too many options available to list them all. Please contact us to learn about the newest additions to our large selection of headphone terminations.

Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in an PTFE tape wrapped jacket.

Geometry: Concentrically wound two conductor flanked by anti-static fibers. Braided nylon outer jacket.

Gauge: 4x25.5 AWG

Outside Diameter: 0.180"/4.57mm



Cardas 1/4" Stereo



1/8" Stereo




Dual 3 pin XLR




Single 4 pin XLR



90° 1/8" Stereo




Balanced Dual 1/8"




HD800



Audeze




HiFi Man



HD700



Balanced 2.5mm



Alpha Dog

Clear Light Headphone cable

sold as single	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	300.00	335.00	370.00	405.00	440.00	475.00	510.00	545.00	580.00	615.00

For longer lengths:

(Length in meters) x \$70 + \$265 = retail price

Cardas CG XLR's upgrade:

Retail	150.00
--------	--------

Cardas Audio Ltd. ~ 480 11th Street SE, Bandon ~ OR 97411

Humans: 541.347.2484 ~ Machine: 541.347.2301 ~ Email: sales@cardas.com ~ www.cardas.com



Cross Headphone cable

Performance

Since 2003 Cardas Audio has been making headphone upgrade cables. Need to upgrade your headphone cable without breaking the bank? Look no further. It has all the legendary benefits Cardas is known for: richness, warmth, detail, non fatiguing, musical, etc. The cable is very flexible and the rubber jacket slides nicely without snagging your clothing. The shielded star-quad design is one of our most versatile and successful products.

Standard Termination: Cardas 1/4" stereo and Sennheiser HD650. There are too many options available to list them all. Please contact us to learn about the newest additions to our large selection of headphone terminations.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), Gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Shielded Star-Quad 4 conductor, bound together in carbon impregnated FEP tape. TPR outer jacket.

Gauge: 4x23.5 AWG

Outside Diameter: 0.210"/5.33mm



Cardas 1/4" Stereo



1/8" Stereo




Dual 3 pin XLR



Single 4 pin XLR



90° 1/8" Stereo



Balanced Dual 1/8"




HD800



Audeze




HiFi Man



HD700



Balanced 2.5mm



Alpha Dog



Cross Headphone cable

sold as single	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	160.00	185.00	210.00	235.00	260.00	285.00	310.00	335.00	360.00	385.00

For longer lengths:
(Length in meters) x \$50 + \$135 = retail price



Cardas Audio

Personal Audio Interconnects

iLink

Performance

Literally cut from Cross Headphone cable but terminated with a right angle 1/8" stereo plug and stereo male RCA's. Perfect for playing music from your portable player on your home stereo.



iLink cable

sold as single	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	160.00	185.00	210.00	235.00	260.00	285.00	310.00	335.00	360.00	385.00

Clear Light PAI 6"

Performance

Literally cut from Clear Light headphone cable but terminated with right angle 1/8" stereo plugs on both ends.



Clear Light PAI 6"/15.24cm

Retail	180.00
--------	--------

Standard Termination: 1/8" stereo to 1/8" stereo

Cross PAI 6"

Performance

Literally cut from Cross Headphone cable but terminated with right angle 1/8" stereo plugs on both ends.



Cross PAI 6"/15.24cm

Retail	120.00
--------	--------


Standard Termination: 1/8" stereo to 1/8" stereo

Headphone Interconnects

Performance

The original portable audio upgrade cable. Legendary Cardas sound and performance designed for compact portable products.

Standard Termination: 1/8" stereo to 1/8" stereo



Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PFA jacket.

Geometry: Shielded twisted triad 3 conductor, bound together in FEP tape with cotton fillers. PVC outer jacket.

sold each	.15m/6"	0.3m/1ft	1m/3.28ft	HPI-A
Retail	20.00	28.00	50.00	20.00

Gauge: 2x25.5 AWG + 1x23.5AWG

Outside Diameter: 0.122"/3.09mm

Cardas Audio Ltd. ~ 480 11th Street SE, Bandon ~ OR 97411

Humans: 541.347.2484 ~ Machine: 541.347.2301 ~ Email: sales@cardas.com ~ www.cardas.com



EM5813

Cardas Ear Speakers are efficient, natural, musical, and are the result of years of meticulous design by George Cardas.

Components of the EM5813 were manufactured in Oregon, California, and The People's Republic of China. Custom alloys were sourced from Italy, Germany and the US, magnets from China, and thin film from Japan.


The EM5813 can be ordered with - or reterminated with - balanced connections for use with Astell & Kern or Pono.

Standard Terminations: Right angle 1/8" stereo

EM5813

Balanced

Retail	425.00	Retail	485.00
--------	--------	--------	--------






Cardas Audio

A8 Ear Speaker 30th Anniversary Edition

An all new design, the A8 Ear Speakers feature a 10.85mm Ultra Linear, Contour Field, Dual Magnet Driver - producing brilliant highs and deep bass - but most importantly, it sounds musical. The new black chrome body incorporates a Golden Spiral curve, as with the EM5813. The lightweight, flexible cable has separate conductors for each channel and is now a continuous solid run from source to speaker. Available with balanced or custom configurations. Comes terminated with 3.5mm TRS standard.




Specifications

Driver Type: Ultra Linear Dynamic 10.85mm
Impedance: 32 ohms
Sensitivity: 110 db
Isolation: -20 db
Connector Type: 1/8" TRS or balanced
Cable: Golden ratio, 99.99% pure Litz copper
Cable length: 46"/116cm
Weight: 31.2 grams including cable
Warranty: 1 year, cosmetics 30 days

A8

Retail	350.00
--------	--------



Clear AES/EBU

Performance

The use of our Matched Propagation technology in digital cables has been nothing short of a game changer for digital audio transmission. More open, more dynamic, and completely neutral tonal balance. This is a reference level AES/EBU cable that compromises nothing.

Standard Terminations: Cardas CG XLR's. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 41 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Equilateral triad 3 conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Specific geometry to achieve the 110 ohm AES/EBU standard. Finished in an ultra soft extruded TPR jacket.

Gauge: 3x25.5AWG

Outside Diameter: 0.355"/9.01mm



Clear Digital AES/EBU

<i>sold each</i>	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
<i>Retail</i>	550.00	600.00	650.00	700.00	750.00	800.00	850.00	900.00	950.00	1,000.00

For lengths longer than 5 meters:
(Length in meters) x \$100 + \$500 = retail price



Clear Digital SPDIF / Coax

Performance

When you need a 75 ohm coaxial digital cable for your high-end digital playback, look no further. Clear Digital uses our flagship Matched Propagation conductors to transfer your digital content quickly and accurately. It's the most neutral, detailed, and revealing coax cable we have ever produced. Designed to compliment the best digital equipment on the market, this will extract every last detail.

Standard Terminations: Cardas SRCA or BNC. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 41 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket. **Geometry:** Coaxial single conductor with anti-static LDPE air-tubes bound with PTFE tape wrap. Finished in an ultra soft extruded TPR jacket

Gauge: 1x25.5 AWG

Outside Diameter: 0.350"/8.89mm



Clear Digital SPDIF Coax

sold each	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	550.00	600.00	650.00	700.00	750.00	800.00	850.00	900.00	950.00	1,000.00

For lengths longer than 5 meters:
(Length in meters) x \$100 + \$500 = retail price



Clear High Speed Serial Buss (USB)

Performance

Clear High Speed Serial Buss takes our Clear Serial Buss USB cable and adds a special high performance data cable using silver-plated conductors. Each conductor pair in both cables is discreetly shielded, and each cable has its own double-shield. This ultra-premium USB cable adds depth & realism, and improved imaging to your digital system. A noticeable improvement over our already high performing Clear Serial Buss. Clear High Speed Serial Buss USB is ideal for use with high resolution digital audio.

Standard Terminations: USB A to B. Some custom terminations available. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket. Solid core copper silver plated data conductors.

Geometry: Dual asymmetrical star-quad 8 conductor. Signal carrying conductors are a shielded twisted pair. Power and signal conductors are bound with PFA tape. Final shield is aluminum/mylar, tin plated copper and magnet wire. Outer jacket is TPR.

Gauge: 2x25.5 AWG + 2x21.5 AWG + 23.5 AWG + 30 AWG
Outside Diameter: Approximately 0.453"/11.50mm




Clear High Speed Digital USB

<i>sold each</i>	<i>.5m/1.6ft</i>	<i>1m/3.3ft</i>	<i>1.5m/4.9ft</i>	<i>2m/6.5ft</i>	<i>2.5m/8.2ft</i>	<i>3m/9.8ft</i>	<i>3.5m/11.5ft</i>	<i>4m/13.1ft</i>	<i>4.5m/14.7ft</i>	<i>5m/16.4ft</i>
<i>Retail</i>	350.00	400.00	450.00	500.00	550.00	600.00	650.00	700.00	750.00	800.00

*For lengths longer than 5 meters:
(Length in meters) x \$100 + \$300 = retail price*



Cardas Audio



Clear USB

Performance

Cardas Clear USB is a musically neutral cable and sounds the same at any usable length. Clear USB is optimized for constant transfer impedance rather than a full wave characteristic impedance.

Standard Terminations: USB A to B. Some custom terminations available. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Asymmetrical star-quad 4. Signal carrying conductors are a shielded twisted pair. Power and signal conductors are bound with PFA tape. Final shield is aluminum/mylar, tin plated copper and magnet wire. Outer jacket is TPR.

Gauge: 2x25.5 AWG + 2x21.5 AWG

Outside Diameter: 0.220"/5.58mm


Clear Digital USB

sold each	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
Retail	140.00	160.00	180.00	200.00	220.00	240.00	260.00	280.00	300.00	320.00

For lengths longer than 5 meters:
(Length in meters) x \$40 + \$120 = retail price



Cardas Audio



Clear Network CAT-7

Performance

With the advent of network hard drives & high(er)-resolution streaming services, the demand for higher quality ethernet cables has exploded. Who wouldn't want increased speed, increased bandwidth, and less noise?

Standard Terminations: Telegartner RJ45. Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper.

Geometry: Arranged in shielded pairs, each pair with its own drain wire. The bundle of pairs is wrapped in a foil shield, and then a braided shield. Jacketed in flexible TPR.

Gauge: 8x24AWG

Outside Diameter: 0.315"/8.01mm



Clear Network CAT-7 (terminated)

sold each	.5m/1.6ft	.75m/2.4	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft
Retail	260.00	280.00	300.00	340.00	380.00	420.00	460.00	500.00	540.00	580.00

For custom lengths:
(Length in meters) x \$80 + \$220 = retail price





Parsec Digital

Performance

Quite possibly the best value in digital cables, Parsec Digital is detailed, smooth, and musical. The cable is light, flexible and at home in almost any digital system.

Standard Terminations: Cardas GRMO or BNC.
Hand terminated in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), Gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a PTFE jacket.

Geometry: Coaxial with low density polyurethane air-tubes bound together in FEP tape to suspend the aluminized polyester and tin plated copper spiral shielding away from the conductors. Specific geometry achieves 75 ohms.

Gauge: 1x20.5 AWG
Outside Diameter: 0.345"/8.76mm



Parsec Digital

<i>sold each</i>	.5m/1.6ft	1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft	3.5m/11.5ft	4m/13.1ft	4.5m/14.7ft	5m/16.4ft
<i>Retail</i>	100.00	140.00	180.00	220.00	260.00	300.00	340.00	380.00	420.00	460.00

For lengths longer than 5 meters:
(Length in meters) x \$80 + \$60 = retail price



HDMI

Performance

Excellent picture quality, resolution and depth.
Bring your high quality monitor to life with better
speed, better gradients, and darker black space.
Version 1.4a compliant.

Standard Terminations: Gold plated injection
molded HDMI

Design/Construction

Conductors: 99.99% pure silver plated solid core
Cardas copper insulated with nitrogen gas injected
Polyethylene jacket.
Geometry: Follows strict HDMI standards. Finished in a
durable poly-braid jacket.

Gauge: 19x24 AWG

Outside Diameter: 0.410"/10.41mm



With the announcement of HDMI 2.1 we are in the process of developing a state of the art product to replace our current HDMI cable. Several lengths are no longer available as you can see from the list below. We will continue to offer the current HDMI while supplies last.

HDMI

sold each		1m/3.3ft	1.5m/4.9ft	2m/6.5ft	2.5m/8.2ft	3m/9.8ft		5m/16.4ft		7m/22.9ft
Retail		out of stock	118.00	out of stock	142.00	154.00		202.00		250.00



Clear Beyond Phono

Performance

Clear Beyond Phono, a marvel of modern cable design, features our most advanced Matched Propagation Conductors. Clear Beyond Phono brings noteworthy improvements in spatial imaging, dynamics, and low frequency impact while retaining the classic Cardas musicality.

Clear Beyond Phono builds on over 30 years of Cardas Audio's relentless dedication to the perfection of high performance cables. More than anything, Clear Beyond Phono is musical. Tonal balance is completely neutral with unsurpassed speed and transparency. Each is made to order and hand terminated only by our senior technicians.

Standard Terminations: Cardas S-DIN to SRCA or RCA to RCA. Hand soldered in Bandon, Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 47 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Star-Quad 4 conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal carrying conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 4x26.5 AWG

Outside Diameter: 0.511"/13mm



Clear Beyond Phono

sold each	.5m/1.6ft	.75m/2.4ft	1m/3.3ft	1.25m/4ft	1.5m/5ft	1.75m/5.7ft	2m/6.5ft	2.25m/7.3ft	2.5m/8.2ft	2.75m/9ft
Retail	1,570.00	1,710.00	1,850.00	1,990.00	2,130.00	2,270.00	2,410.00	2,550.00	2,690.00	2,830.00

For longer lengths:
(Length in meters) x \$560 + \$1290 = retail price

R-DIN (90° DIN plug):


Retail	60.00
--------	-------



Cardas CG XLR upgrade:

Retail	150.00
--------	--------





Clear Phono

Performance

Completely neutral and dynamic. Superb high frequency extension and speed. Our flagship phono cable is intended for reference level systems in acoustically neutral listening rooms. Perfect control over the entire frequency range. Extracts every detail and remains musical, never fatiguing.

Standard Terminations: Cardas S-DIN to Cardas SRCA, or RCA to RCA. Hand soldered in Bandon, Oregon.

Design/Construction

Conductors: Matched Propagation Kevlar core, ultra fine Grade 1, 99.9999% pure oxygen free copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions and range from 41 AWG to 39 AWG. Cross-field layer geometry, insulated in ultra thin extruded PTFE jacket.

Geometry: Dual mono twisted pair conductors with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of 42 AWG tinned copper and magnet wire away from the signal carrying conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 4x25.5 AWG

Outside Diameter: 0.418"/10.6mm

Clear Phono

<i>sold each</i>	.5m/1.6ft	.75m/2.4ft	1m/3.3ft	1.25m/4ft	1.5m/5ft	1.75m/5.7ft	2m/6.5ft	2.25m/7.3ft	2.5m/8.2ft	2.75m/9ft
<i>Retail</i>	865.00	1,005.00	1,145.00	1,285.00	1,425.00	1,565.00	1,705.00	1,845.00	1,985.00	2,125.00

For longer lengths:


(Length in meters) x \$560 + \$585 = retail price

R-DIN (90° DIN plug):

<i>Retail</i>	60.00
---------------	-------

Cardas CG XLR upgrade:

<i>Retail</i>	150.00
---------------	--------





Clear Cygnus Phono

Performance

Clear Cygnus Phono benefits greatly from the latest developments in the Clear product line, including a more economical version of Clear Beyond Interconnect's air-tube suspension. Clear Cygnus is detailed without any hint of harshness and has great low frequency performance. Clear Cygnus will help bring your analog to life. If you want Cardas musicality but with a neutral tonal balance, look no further.

Standard Terminations: Cardas S-DIN to Cardas GRMO, or RCA to RCA. Hand soldered in Bandon, Oregon.


Design/Construction

Conductors: Matched Propagation Kevlar core, Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in double layered PTFE tape wrapped jacket.

Geometry: Star-Quad 4 conductor, with anti-static LDPE air-tubes bound with carbon impregnated PTFE tape wrap. Outer layer uses PTFE air-tubes scaled 1.618 times larger than the core tubes to suspend the composite shield of tinned copper and magnet wire away from the signal conductors. Finished in an ultra soft extruded TPR jacket.

Gauge: 4x25.5 AWG

Outside Diameter: 0.384"/9.76mm



Cygnus Phono

<i>sold each</i>	.5m/1.6ft	.75m/2.4ft	1m/3.3ft	1.25m/4ft	1.5m/5ft	1.75m/5.7ft	2m/6.5ft	2.25m/7.3ft	2.5m/8.2ft	2.75m/9ft
<i>Retail</i>	340.00	390.00	440.00	490.00	540.00	590.00	640.00	690.00	740.00	790.00

For longer lengths:

(Length in meters) x \$200 + \$240 = retail price

R-DIN (90° DIN plug):

<i>Retail</i>	60.00
---------------	-------

Cardas CG XLR upgrade:

<i>Retail</i>	150.00
---------------	--------





Cardas Audio

Iridium Phono

Performance

Looking for a rich, non-fatiguing, musical cable for your analog playback that doesn't break the bank? Look no further. Iridium Phono brings that classic analog sound with warmth and richness without sacrificing balance and detail.

Standard Terminations: Cardas S-DIN-E to Cardas RCA's, or RCA to RCA. Hand soldered in Bandon, Oregon.

Design/Construction

Conductors: Grade 1, 99.9999% pure OFHC copper with SPN clear coat (Litz), gauge sizes scaled to Golden Ratio proportions. Cross-field layer geometry, insulated in a FEP jacket.

Geometry: Shielded Star-Quad 4 conductor bound together in PTFE tape. Hybrid shield combines a spiral of tin plated copper and a carbon impregnated PTFE tape. Finished in an ultra soft and flexible extruded TPR jacket.

Gauge: 4x24.5 AWG

Outside Diameter: 0.300"/ 7.62mm



Iridium Phono

sold each	.5m/1.6ft	.75m/2.4ft	1m/3.3ft	1.25m/4ft	1.5m/5ft	1.75m/5.7ft	2m/6.5ft	2.25m/7.3ft	2.5m/8.2ft	2.75m/9ft
Retail	170.00	190.00	210.00	230.00	250.00	270.00	290.00	310.00	330.00	350.00

For longer lengths:
(Length in meters) x \$80 + \$130 = retail price

R-DIN (90° DIN plug):

Retail	60.00
--------	-------



RE-TERMINATION OPTIONS

<i>Priced per pair</i>	<i>Retail</i>
CARDAS XLR's (CG F XLR & CG M XLR)	300.00
Retermine to standard RCA or XLR	240.00
Retermine to standard Spades	240.00
Retermine to forged Spades or Bananas	300.00
Retermine to forged Spades or Bananas BI-WIRE	400.00
Custom length or termination	50.00



Parts and Accessories

	Retail	IP Code
MALE RCAs		
SRCA SS (signature series)	30.00	P32.29
XRCA 11mm (adaptor for SRCA SS)	4.40	P42.19
XRCA 13mm (adaptor for SRCA SS)	4.40	P42.20
GRMO	24.00	P32.9
GRNO (90°)	30.00	P32.11
SLVR SS (signature series)	20.00	P32.19
GRCM	16.00	P32.6
GRCM 6mm	16.00	P32.4
FEMALE RCAs and BNC		
GRFA S	16.00	P36.16
GRFA L	20.00	P36.6
GRFA DBL PRT G	24.00	P36.3
GRFA PRT	22.00	P36.14
GRFA PSR2 M	22.00	P36.20
GRFA PSA	22.00	P36.30
GRFA PS2	16.00	P36.11
GRBNC S	18.00	P38.3
CTFA (red or white)	10.00	P36.1/2
CABLE XLR		
CG FXLR	54.00	P37.3
CG MXLR	54.00	P37.4
CHASSIS XLR		
CM FXLR	44.00	P37.2
CM MXLR	44.00	P37.1
SPADES		
CGMS R XS (6.3mm rhodium/silver/copper)	22.00	P35.20
CGMS R M (6.3mm rhodium/silver/copper)	22.00	P35.34
CGMS R L (6.3mm rhodium/silver/copper)	22.00	P35.33
CGMS 9R XS (9mm rhodium/silver/copper)	26.00	P35.29
CGMS 9R M (9mm rhodium/silver/copper)	26.00	P35.28
CCMS 9R L (9mm rhodium/silver/copper)	26.00	P35.27
GRS R (6.3mm rhodium/silver/copper)	10.00	P35.49
GRS 9R (9mm rhodium/silver/copper)	12.00	P35.46
CCS 10 (crimping 6.3mm rhodium/silver/copper)	8.00	P35.69
CCS 8 (crimping 6.3mm rhodium/silver/copper)	8.00	P35.70
CCMS C 1 XL (6.3mm copper)	14.00	P35.42
BANANAS		
CABD	36.00	P40.9
CAB	18.00	P40.2
CABE	8.00	P40.15

Parts and Accessories Continued

	Retail	IP Code
BINDING POSTS		
CCRR L	62.00	P33.26
CCRR S	52.00	P33.27
CCGR L	58.00	P33.23
CCGR S	48.00	P33.71
CCBP L	56.00	P33.46
CCBP S	46.00	P33.67
ACBP S	34.00	P33.6
SINGLE BINDING POSTS INSULATORS		
SBPI (black or red)	4.00	P33.52/1
PATENTED BINDING POSTS		
CPBP CRS (copper/rhodium/short)	52.00	P33.83
CPBP CRL (copper/rhodium/long)	52.00	P33.82
PATENTED BINDING POSTS KNOBS		
CPBP KA (anodized black)	20.00	P33.8
CPBP KAE (anodized black and engraved)	22.00	P33.64
BINDING POST MOUNTING PLATE		
BPMP	10.00	P33.89
CARDAS POWER		
4181US Duplex Outlet	150.00	P10.30
3455R IEC 15 amp	60.00	P11.11
3455R US wall plug	60.00	P10.21
3455RS Schuko wall plug	70.00	P10.24
XLR ADAPTORS		
FRCA-FXLR (Female RCA to Female XLR) (2)	120.00	P42.5
FRCA-MXLR (Female RCA to Male XLR) (2)	120.00	P42.7
MRCA-FXLR (Male RCA to Female XLR) (2)	120.00	P42.16
MRCA-MXLR (Male RCA to Male XLR) (2)	120.00	P42.18
CGA FXLR-FRCA (Cardas Female XLR to Female RCA) (2)	200.00	P42.2
CGA MXLR-FRCA (Cardas Male XLR to Female RCA) (2)	200.00	P42.3
CGA FXLR-MRCA (Cardas Female XLR to Male RCA) (2)	200.00	P42.65
CGA MXLR-MRCA (Cardas Male XLR to Male RCA) (2)	200.00	P42.76
OTHER ADAPTORS		
GRQ SM-FRCA (1/4" mono to Female RCA) (2)	132.00	P42.8
FRCA-MBNC (Female RCA to Male BNC DIGITAL) (1)	60.00	P42.39
BTS Adaptor (Banana To Spade) (set of 4)	88.00	P35.32
BTS 9 Adaptor (Banana to 9mm Spade) (set of 4)	104.00	P35.31
CABD (dual banana plug with gold binding nut)	36.00	P40.9
HPI-A (1/4" stereo female to 1/8" stereo male)	20.00	P8.8
BI-WIRE JUMPERS		
CJP C (copper jumper plate) (set of 4)	32.00	P33.61
CJP R (silver/rhodium plated jumper plate) (set of 4)	80.00	P33.60
Jumper 11.5awg (6" jumper with bananas or spades)(set of 4)	150.00	P42.XX
Jumper 9.5awg (6" jumper with bananas or spades)(set of 4)	210.00	P42.XX

Parts and Accessories Continued

	Retail	IP Code
PHONO BOXES		
CPIB (DIY phono interface box, 2 female RCAs)	200.00	P31.22
CPTB ST (phono interface box, 12" lead with S-DIN)	364.00	P31.25
CPTB RT (phono interface box, 12" lead with R-DIN)	412.00	P31.24

HEADSHELL/TONEARM LEADS

HSL PCCER (33awg with PCCER clips, 1.5" long) (set of 4)	90.00	P31.16
HSL PCCEG (33awg with PCCEG clips, 1.5" long) (set of 4)	54.00	P31.15
HSL Clear 34x4 Tonearm (34 awg with PCCER to tinned, 24")	268.00	P31.40
HSL 33x4 Tonearm (33 awg with PCCEG to tinned, 24")	78.00	P31.34

DINs

R DIN	124.00	P34.14
S DIN	78.00	P34.13
S DIN E	32.00	P34.17
M DIN R	28.00	P34.16
M DIN	16.00	P34.3
TIDP	14.00	P34.12

CARTRIDGE CLIPS

PCC ER(4) (rhodium)	18.00	P31.18
PCC EG(4) (gold)	10.00	P31.27

HEADPHONE

HD800 connectors (set of 2)	80.00	P39.13
HPSC (set of 2 HD650 type solderable plugs)	16.00	P39.17
HPI-A (1/4" stereo female to 1/8" stereo male)	20.00	P8.8

SOLDER

Quad Eutectic Roll Solder 0.45kg/1 lb	120.00	P41.6
Quad Eutectic Roll Solder 113gm/0.25 lb	30.00	P41.7
Bar Solder 2 lb	64.00	P41.2
Lead free Bar Solder 1 lb	40.00	P41.1
Rosin Flux paste 2oz	16.00	P41.3

MYRTLEWOOD BLOCKS

Large (1" x 1.618" x 2.618" equipment footer) (6)	60.00	P45.11
Small (.618" x 1" x 1.618" equipment footer) (6)	50.00	P45.12

MULTI-CABLE BLOCKS

MCB (Douglas Fir cable footer 1" x 1.618" x 2.618") (6)	56.00	P45.4
---	-------	-------

Parts and Accessories Continued

	Retail	IP Code
1/4" PHONE PLUGS		
GRQ SM (straight mono)	18.00	P39.9
GRQ SS (straight stereo)	32.00	P39.10
PROTECTIVE CAPS		
RCA C SS (signature series RCA cap) (set of 12)	60.00	P32.25
XLR C SS F (signature series Female XLR cap) (2)	58.00	P37.8
XLR C SS M (signature series Male XLR cap) (2)	58.00	P37.9
GRQ CAP SS (signature series 1/4" cap) (1)	6.00	P39.7
CONTACT CONDITIONER		
CCC, 3ml Bottle	16.00	P50.2
SHORTING PIN		
CGSP (gold plated shorting pin for XLR's)	4.00	P33.29
SETUP TOOLS		
Frequency Sweep & Burn-in LP	30.00	P47.9
MUSIC		
Ben Harper "Pleasure & Pain" - LP	40.00	P47.7
"25 Miles to Barstow #1" - LP	20.00	P47.3
"25 Miles to Barstow #2" - LP	20.00	P47.4
Kip Dobler "Reaching Out" - LP	20.00	P47.14
"The Greg Smith Singers" - LP	20.00	P47.10
Bebe Bardot "Sultan of Sultry" - CD	18.00	P47.6
Kip Dobler "Dream Tracks" - CD	18.00	P47.13
Sylvesters "Things Just Keep Getting" - CD	18.00	P47.32
Christopher Tree "Spontaneous Sound" - CD	18.00	P47.31
Trish Turner "Bourbon Rain" - CD	18.00	P47.8
Trish Turner "Smoke House" - CD	18.00	P47.30
Kip Dobler "Dobler Effect, Forever Love" - USB	26.00	P47.36
Nancy King "King on the Road" - USB	26.00	P47.38
Dean Peer "Airborne" - USB	26.00	P47.5
Dean Peer "UCROSS" - USB	26.00	P47.37
TrishTurner "Boubon Rain" - USB	26.00	P47.35
MERCHANDISE/SWAG		
Pint Glass	14.00	P55.X
T-Shirts (Specify Mens or Womens & Size)	30.00	P52.XX
Hats	30.00	P53.XX

Chassis Wire/Bulk Cable

	Retail Per ft.	IP Code
34 AWG Clear Tonearm Wire	11.50	Varied
33 AWG Chassis Wire	2.92	Varied
28.5 AWG Chassis Wire	2.92	Varied
26.5 AWG Chassis Wire	3.04	Varied
23.5 AWG Chassis Wire	2.80	Varied
21.5 AWG Chassis Wire	2.80	Varied
20.5 AWG Chassis Wire	2.80	Varied
19.5 AWG Chassis Wire	3.04	Varied
18.5 AWG Chassis Wire	3.36	Varied
17.5 AWG Chassis Wire	3.36	Varied
15.5 AWG Chassis Wire	4.31	Varied
11.5 AWG Chassis Wire	5.73	Varied
9.5 AWG Chassis Wire	7.15	Varied
10 AWG Solid Core Chassis Wire	3.60	Varied
34X2 Clear Twisted Tonearm Cable	25.00	Varied
34X4 Clear Braided Tonearm Cable	50.05	C9.27
33X4 Braided Tonearm Cable	9.88	C9.18
33X4 With Shield Tonearm Cable	13.35	C9.19
8x24 Network Cable	20.00	C4.41
2X24M (Double Shield)	22.40	C9.13
4X24 AWG With Shield	22.40	C9.17
1X21 AWG Coaxial Cable	5.73	C9.1
2X21.5 AWG With Shield	7.34	C9.10
20.5 AWG Tape Wrapped	3.06	C21.40
20X2 Twisted pair in jacket	5.60	C9.9
3X20 Twisted triad in jacket	13.22	C9.15
15X2 Twisted pair in jacket	7.46	C9.8
11X2 Twisted pair in jacket	12.26	C9.3
CROSSLINK 1I Interconnect	12.54	C2.6
Musicians Reference Interconnect	12.54	C6.5
101 Speaker (250 ft spools)	6.75	C1.25
CROSSLINK 1S Speaker	15.34	C1.7
Matched Propagation Conductors		
SE9 MP Speaker	31.34	C1.20
33.5 AWG MP Tape wrapped	6.94	Varied
25.5 AWG MP Tape wrapped	5.86	Varied
25.5 AWG MP PTFE jacket	5.86	Varied
9.5 AWG MP Tape wrapped	6.40	Varied

All bulk wire: 25 ft. Minimum Quantity - Pre-made spools of 25', 50', 100', 250', 500' in stock.