



**US RETAIL  
PRICE BOOK**

**FALL 2020**



# TABLE OF CONTENTS

## **4 USB Digital-Audio Converters**

DragonFlys  
JitterBug  
USB Extenders and Adaptors

## **6 AC Power**

PowerQuest Power Conditioners  
Niagara Power Conditioners  
AC Power Cables  
    NRG Series  
    Wind Series  
    Storm Series  
Accessories

## **13 Speaker Cables**

Q2 and Type Series  
Rocket Series  
Folk Heroes  
    Robin Hood  
    William Tell  
Mythical Creatures  
    ThunderBird  
    FireBird  
    Dragon  
Accessories

## **24 Analog-Audio Interconnect Cables**

Bridges & Falls  
Rivers & Elements  
Accessories

## **28 Subwoofer Cables**

## **29 Tonearm Cables**

## **30 LYRA Reference Phono Cartridges**

## **31 Vinyl and Headphone Accessories**

## **32 HDMI**

HDMI Cables  
Accessories

## **37 Digital-Audio Interconnect Cables**

USB Cables  
Optical Cables and Accessories  
Digital Coax Cables and Accessories  
AES/EBU Cables  
Ethernet Cables (RJ/E)

## **44 Accessories**

## **48 Tools**

## **49 Instant Tool-less Connectors (ITC)**

## **50 Bulk Cables**

In-Wall Rated  
Not-Rated Speaker Cables  
SureGrip® Speaker Connectors  
Spade, Pin, and Banana Connectors  
In-Wall Rated Analog-Audio Bulk Cables  
CAT6 and CAT7 Ethernet Bulk Cables

## **56 Installer Packs**

## **58 POP and Promotional Items**

## **61 Index**

## Shipping

Our preferred shipper is FedEx.

### Free Shipping:

AudioQuest pays shipping on orders of 250.00 or more (except Alaska, Hawaii, and Puerto Rico). For dealer locations where Ground shipping takes 4 days or more, orders ship via 3-day service (except spools).

### Expedited Shipping:

If dealer chooses to expedite an order of 250.00 or more, dealer only pays difference between default shipping method and desired shipping method; for orders under 250.00, dealer pays all shipping charges.

### Urgent Orders:

Please mark Purchase Order accordingly and specify the desired delivery date, not the ship date.

### Spools:

The default shipping method is Ground, regardless of value of order or dealer's location. Expedited shipping is available at dealer's expense.

### Drop Ship:

Processed as a separate order and incurs a 5.00 service charge. Drop Ship is not available outside the US.

### Alaska, Hawaii, and Puerto Rico:

AudioQuest pays shipping on orders of 500.00 or more that do not include bulk spools; AudioQuest pays shipping on orders of 1,000.00 or more that include bulk spools.

## Terms and Conditions

- Terms: 2% 20 net 30 days.
- Credit cards can only be used for payment on accounts that are prepaid. Credits card cannot be used for payment on accounts with open terms.
- Each order stands alone. No additions allowed. Please order carefully.
- Prices are subject to change without notice.
- All prices are in US dollars.
- As used throughout this price book, "Retail" carries the same meaning as Manufacturer's Suggested Retail Price (M.S.R.P.).

## Returns

- All returns are subject to approval by AudioQuest.
- All returns may be subject to a 20% re-stocking charge.
- Built-to-order products may not be returned.
- All sales are final for custom speaker cables produced at 5 feet or less.
- A Return Merchandise Authorization (RMA) number must be issued by AudioQuest before any product may be returned.
- The RMA number must appear on the outside of the shipping carton, near or on the address label.

## Contact Information

AudioQuest Headquarters  
2621 White Road, Irvine, CA 92614  
www.audioquest.com  
Ph: 949.790.6000 | Fax: 949.585.0444 | Toll Free: 800.747.2770

Email orders and related correspondence: [orders@audioquest.com](mailto:orders@audioquest.com)  
Email Return Merchandise Authorization (RMA): [rma@audioquest.com](mailto:rma@audioquest.com)  
General email and all other correspondence: [info@audioquest.com](mailto:info@audioquest.com)



## AudioQuest: Doing No Harm Since 1980



**William (Bill) Low**  
Founder / CEO

For 40 years now, AudioQuest, headquartered in Irvine, California, has been a leading developer, manufacturer, and distributor of high-performance audio/video products and custom-install solutions. Although best known for our comprehensive range of analog, digital, and AC power cables, our portfolio has expanded to a diverse assortment of products, including the multi-award-winning DragonFly DACs, LYRA phono cartridges, and Niagara and PowerQuest power products.

Our ultimate goal is the same today as it was 40 years ago: Do No Harm! By this we mean that all cables and components, to the extent that is technologically feasible, should get out of the music's way by inducing the least amount of noise and distortion.

### The Evolution Continues: The Four Elements Today

While minimizing noise and damage to the audio signal remains the North-Star constant, the ways in which AudioQuest engages these challenges always evolves. While there are still Four Elements that describe our foundational materials and design philosophies, a growing number of technologies cross and even go beyond our original Four Elements. Many have become crucial enough to demand visibility. Noise-Dissipation is an umbrella Element under which many of these meaningful techniques and technologies will reside. While Geometry is no longer identified as one of The Four Elements, it remains inextricably tied to all other Elements of cable design and manufacture.

**Solid Conductors:** Strand interaction remains the biggest potential source of distortion in cables. Solid Conductors are the aspirational ideal and most complete solution to this problem. However, thoughtfully arranged multi-conductor geometries such as concentric windings are used to create our Semi-Solid Conductor technologies. These avoid many strand-distortion mechanisms and are in their own right ideal in a growing number of applications.

**Directionality:** All drawn metal conductors have a non-symmetrical, fish-scale-like grain structure. Because the highest Radio Frequencies (RF) are subject to skin effect, traveling on this deformed outer-surface layer of the conductor, there is a resulting increase in RF impedance in one direction versus the other. Since induced RF noise is parasitic (and doesn't travel with the primary signal current), it takes the path of least resistance. At AudioQuest, we test every conductor so it is used in the direction that drains the induced noise away from where it will cause the most harm, optimizing the cable and the system's performance.

**Noise-Dissipation:** Unwanted Radio-Frequency (RF) noise is and has always been picked up and induced into cable. This contamination ultimately masks and distorts critical portions of the audio/video signal. As this distortion-causing (parasitic) RF signal is more present today than at any previous time in history, we must depend on a wider arsenal of Noise-Dissipation technologies:

- ZERO Tech (No Characteristic Impedance) applies Ultra-Linear Noise-Dissipation across the widest range of frequencies possible. It also enables uncompressed transient current transfer for AC power and loudspeaker/power amplifier applications.
- GND Tech (Ground-Noise Dissipation) cancels induced RF noise via its unique phase-cancelling array.
- Tried-and-true DBS (Dielectric-Bias System) has evolved to include RF-Noise Traps that further reduce dielectric distortion and induced noise.

**Metal Quality:** Higher-purity conductor metals with smoother surfaces and internal crystal structures greatly reduce noise and distortion. Carefully finessed mixes of metals and conductor sizes can be effectively used to define a cable's Sonic Signature—a cost-effective technique for high-value, high-performance models.



**Solid Conductors**

**Directionality**

**Noise-Dissipation**

**Metal Quality**

# DragonFly

## Naturally Beautiful Sound at Your Fingertips—Whenever and Wherever You Want It

With today's smartphones, tablets, and computers, music and videos are far more accessible than ever before.

Unfortunately, the digital-to-analog converters (DACs) inside these devices are highly compromised, even when the sample-rate numbers (24/192, etc.) look impressive. These built-in DACs may make audible sound, but they don't make beautiful music.

A DragonFly bypasses the compromised audio circuitry within these devices to deliver naturally beautiful sound to earbuds, headphones, desktop speakers, or complete audio systems.

Whether using a free streaming service, premium High-Resolution or MQA-encoded streaming (such as Tidal Masters), or playing MP3 files or videos, all DragonFlies make these experiences much more compelling and immersive.

DragonFly Black delivers great performance and value. Red ups the game with more power, more grip, and deeper sonic immersion. Now, DragonFly Cobalt, with its more advanced processor, microcontroller, and RF noise filtering, provides even greater clarity, dynamics, and finesse than previously possible.



## DragonFly DAC + Preamp + Headphone Amp

- Plays all music files: MP3 to High-Res and MQA
- Compatible with Apple® and Windows® PCs
- Compatible with iOS devices (requires Apple Lightning to USB 3 Camera Adaptor)
- Compatible with Android devices (requires DragonTail or other USB Adaptor for Android Devices)
- Bit-perfect variable output drives headphones, powered speakers, or power amp
- Fixed output feeds preamp or receiver




	DragonFly Black	DragonFly Red	DragonFly Cobalt
Output	1.2 volts	2.1 volts	
DAC Chip	ESS ES9010 with minimum-phase fast roll-off filter	ESS ES9016 with minimum-phase fast roll-off filter	ESS ES9038Q2M DAC chip with minimum-phase slow roll-off filter for more natural sound
Volume Control	Analog Volume Control	64-Bit Bit-Perfect Digital Volume Control	
Desktop Compatibility	Windows 7 and later; Apple 10.6.8 and later; Linux (no tech support provided)		
Mobile Compatibility	Apple iOS 5 and later; Android 5.0 and later		
Included Adaptor			DragonTail A to C Adaptor
Accessories	Protective Endcap, Leatherette Pouch		
Dimensions	62mm (l) x 19mm (w) x 12mm (h)	62mm (l) x 19mm (w) x 12mm (h)	57mm (l) x 19mm (w) x 12mm (h)
	Retail: 99.95	Retail: 199.95	Retail: 299.95

## JitterBug USB Data and Power Noise Filter



- Dual Discrete Noise-Dissipation Circuits
- Reduces the noise and ringing that plague both the data and power lines of USB ports
- Measurably reduces jitter and packet errors
- Improves dynamic contrast, warmth, and resolution
- Use JitterBug in series with almost any USB DAC, including DragonFlies Black and Red, or in parallel with DragonFly Cobalt



**Retail: 69.95**

## USB Extenders and Adaptors

DragonTail USB Extenders feature 5% Silver Solid Conductors and are Direction-Controlled for reduced RF noise.



### DragonTail USB A 2.0 Extender

Female USB A to Male A

**Retail: 29.95**



### DragonTail USB A to Micro Adaptor

Female USB A to Male Micro

**Retail: 29.95**



### DragonTail A to C Adaptor

(included with DragonFly Cobalt)

**Retail: 29.95**

# AC Power Conditioners

## Niagara and PowerQuest: Low-Z Power | Noise-Dissipation Systems

*Redefining the science of AC power conditioning*

What is a power conditioner and why is it necessary?

For some, a power conditioner is merely a device that provides enough outlets for the entire audio/video system while also protecting the connected devices from electrical storms and wiring faults. Yet, for the discriminating listener, many power conditioners can make an audio/video system perform far worse.




Yes, a home or building may have dimming lights or an occasional brown-out, and the utilities' AC sine wave is always far from perfect. However, where incoming power is concerned, there are two reasons an audio/video system does not perform up to its full potential: 1) The current transients that supply the power amplifier are compressed, and 2) The ever-increasing levels of radio-frequency noise are masking (covering up) the system's low-level signal content.

When compared to or measured against either Niagara or PowerQuest, a simple power bar or a dedicated AC wall outlet can lose up to a third of the low-level audio information that contain much of a recording's harmonics, imaging, high frequencies, and bottom-end grip—and once that information is gone, it's gone forever.

AudioQuest's Niagara and PowerQuest technologies are unique amongst all power products—whether they're isolation transformers, AC regenerators, battery back-up, re-clocking devices, or other types. Niagara and PowerQuest filters and Ground-Noise Dissipation work evenly, or linearly, across a far wider range of induced noise frequencies. Additionally, Niagaras 3000, 5000, and 7000 feature Transient Power Correction, which supplies a current reservoir to greatly bolster the performance of any power amplifier.







	PowerQuest 2	PowerQuest 3	Niagara 1200	Niagara 3000	Niagara 5000	Niagara 7000
<b>Linear Noise-Dissipation Technology</b>	More than 18 octaves of differential filtering	More than 18 octaves of differential filtering; 14 octaves common-mode filtering	Level-X More than 19 octaves of differential filtering	Level-X More than 21 octaves differential-mode filtering	Level-X More than 23 octaves differential-mode filtering; 16 octaves common-mode filtering	Level-X More than 23 octaves differential-mode filtering; 20 octaves common-mode filtering
<b>Patented Ground-Noise Dissipation</b>	1 outlet	2 outlets	2 banks (all outlets)	3 banks (all outlets)	6 banks (all outlets)	6 banks (all outlets)
<b>Non-Sacrificial Surge Protection</b>	Withstands multiple AC surges and spikes up to 6000V/3000A without sustaining damage		Sonically Non-Invasive; Withstands multiple AC surges and spikes up to 6000V/3000A without sustaining damage			
<b>Transient Power Correction</b>	N/A	N/A	N/A	55 amps peak; Provides a current reservoir for any power amplifier (up to 25mS)	90 amps peak; Provides a current reservoir for any power amplifier (up to 25mS)	90 amps peak; Provides a current reservoir for any power amplifier (up to 25mS)
<b>Patented DBS Symmetrical Power Isolation Transformer</b>	N/A	N/A	N/A	N/A	N/A	2 (source component outlet banks)
<b>Maximum RMS Current</b>	15 Amps (RMS) @ 120V	15 Amps (RMS) @ 120V	15 Amps (RMS) @ 120V	15 Amps (RMS) @ 120V	20 Amps (RMS) @ 120V	20 Amps (RMS) @ 120V
<b>Outlets</b>	6 total: (1) 4K/8K Video, (4) Source, (1) High-Current	8 total: (2) 4K/8K Video, (4) Source, (2) High-Current	7 total: (5) Source (including video), (2) High-Current	7 total: (5) Source (including video), (2) High-Current	12 total: (8) Source (including video), (4) High-Current	12 total: (8) Source, (4) High-Current
<b>USB-A Charging Ports</b>	2 high-speed ports (3.4 amp capacity)	4 high-speed ports (4.8 amp capacity)	N/A	N/A	N/A	N/A
<b>Power Cable</b>	Direction-Controlled Semi-Solid Concentric		Power cable not included			
<b>Signal Line Protection</b>	Cable/Satellite	Cable/Satellite, Phone, Network	N/A	N/A	N/A	N/A
<b>Dimensions</b>	15.47" L x 3.15" W x 6.02" H (Includes wall-mounting holes and detachable base)	15.47" L x 3.15" W x 7.40" H (Includes wall-mounting holes and detachable base)	19.4" W x 3.2 H" x 7.5" D	17.5" W x 3.45" H x 15.2" D (2-RU rack mount kit included)	17.5" W x 5.24" H x 17.2" D (3-RU rack mount kit on request)	17.5" W x 5.24" H x 17.2" D (3-RU rack mount kit on request)
<b>Weight</b>	4.85 lbs.	5.51 lbs.	18 lbs.	25 lbs.	38 lbs.	86 lbs.
	<b>Retail: 199.95</b>	<b>Retail: 299.95</b>	<b>Retail: 999.95</b>	<b>Retail: 2,999.95</b>	<b>Retail: 4,999.95</b>	<b>Retail: 9,499.95</b>

# AC Power Cables


## Low-Z | Noise-Dissipation NRG, Wind, and Storm Series

The power cords that are supplied with most audio/video components have many admirable features. They're durable, flexible, small, and they will unfailingly supply the required AC voltage from the utilities' service tap for many years to come. They're also inexpensive.

Unfortunately, these "commodity" power cords were never up to the task of supplying sensitive components with the quality power they need. By this, we mean power that is unrestricted when delivering current transients to a power amplifier. The power cord must not add noise to the audio/video signal via RF (radio-frequency) noise that is induced into, or picked up by, the AV component. The ground lead is the worst offender in this regard, as it has no component power supply to help lessen the damage from the induced RF noise. Typically, the ground noise drains directly towards the component's signal path.

Even with an advanced AC power system like Niagara or PowerQuest, the AC cord is a branch of noise-dissipation system. Like plumbing, the RF noise must be drained away from the circuits upon which it could do harm. Many ask, if my wall wiring is so many yards in length, how can a 6-foot cord possibly matter? It matters for the same reason four square inches of mud and debris can back up a plumbing system or a rain gutter. The drainage or distribution of water currents and noise currents work in the exact same manner. They are one system.

With AudioQuest power cords and our unique technologies such as ZERO Tech (No Characteristic Impedance) and our patented GND (Ground-Noise Dissipation), you will experience greater dynamics, bass grip, extended high frequencies, and the blackest background you've ever heard.



## AC Power Cables: NRG Series

**C5**  
2.5A Maximum RMS  
Capacity @ 120VAC 60Hz



**C7**  
2.5A Maximum RMS  
Capacity @ 120VAC 60Hz



**C13**  
15A Maximum RMS  
Capacity @ 120VAC 60Hz



NRG-Y and NRG-Z Series cables with the C7 connector feature a three-pronged male plug. Though there is no third ground lead, there are Radio-Frequency shield drain leads that must connect to Earth Ground. This construction is also required for our proprietary ZERO Technology.



Model		NRG-X2	NRG-Y2	NRG-Z2	NRG-X3	NRG-Y3	NRG-Z3
Metal		Semi-Solid Concentric Long-Grain Copper (LGC)		Semi-Solid Concentric Perfect-Surface Copper+ (PSC+)	Semi-Solid Concentric Long-Grain Copper (LGC)		Semi-Solid Concentric Perfect-Surface Copper (PSC)
Gauge		17 AWG				16 AWG (12 Amp @ 120V)	
Technology			ZERO Tech (No Characteristic Impedance)			ZERO Tech (No Characteristic Impedance)	ZERO Tech (No Characteristic Impedance); Patented GND (Ground-Noise Dissipation)
Jacket		Black PVC with Red Stripes	Dark Gray/Black Braid	Dark Red/Black Braid	Black PVC with Red Stripes	Dark Gray/Black Braid	Dark Red/Black Braid
Terminations		Cold-Welded Connectors					
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
1m	3' 3"	64.95	104.95	189.95	79.95	129.95	199.95
2m	6' 6"	79.95	129.95	239.95	99.95	159.95	279.95
3m	9' 10"	94.95	154.95	289.95	119.95	189.95	359.95
4.5m	14' 9"	117.95	192.95	364.95	149.95	234.95	479.95
6m	19' 8"	139.95	229.95	439.95	179.95	279.95	599.95




**C17**

For components that use the ungrounded C17 connector, please use C13.  
The grounded male plug is necessary to make use of our Noise-Dissipation System.

NRG AC cables are also sold in Installer Packs. See page 56.

## AC Power Cables: Wind Series




Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit's current draw is minimal.



Wind Series Plugs



Mistral Plugs for Wind Series XTRM

Model		Monsoon	Monsoon XTRM	Blizzard 🟢 72v DBS	Blizzard XTRM 🟢 72v DBS	Silver Cloud 🟢 72v DBS	Silver Cloud XTRM 🟢 72v DBS
Plug Type		Gold-Plated Molded	Hanging Silver Over Red Copper	Gold-Plated Molded	Hanging Silver Over Red Copper	Gold-Plated Molded	Hanging Silver Over Red Copper
Metal		Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+) and Long-Grain Copper (LGC)		Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+)		Semi-Solid True-Concentric Perfect-Surface Silver (PSS) and Perfect-Surface Copper+ (PSC+)	
Gauge		12 AWG (20 Amps RMS @ 60 Hz)					
Technology		ZERO Tech (No Characteristic Impedance) for Uncompressed Current Transfer; GND (Ground-Noise Dissipation)					
Jacket		Dark Blue/Black Braid		Silver/Black Braid		Black/Black Braid	
Terminations		Direct-Gold and Silver Plated; Cold-Welded Connectors					
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
1m	3' 3"	329.95	669.95	574.95	824.95	1,749.95	2,049.95
2m	6' 6"	449.95	789.95	749.95	999.95	2,999.95	3,299.95
3m	9' 10"	569.95	909.95	924.95	1,174.95	4,249.95	4,549.95
4.5m	14' 9"	749.95	1,089.95	1,187.95	1,437.95	-	6,424.95
6m	19' 8"	929.95	1,269.95	1,449.95	1,699.95	-	8,299.95
Other prepared lengths use formula:		-	120.00/m + 549.95	-	175.00/m + 649.95	-	1,250.00/m + 799.95

### Mistral AC Power Bulk Cable

**Metal:** Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+) and Long-Grain Copper (LGC)

**Gauge:** 12 AWG

**Technology:** GND (Ground-Noise Dissipation)

**Jacket:** Dark Gray/Light Gray PVC

**Terminations:** Mistral AC Power Plugs



**Per Meter**

**Retail: 100.00**

### Mistral AC Power Plugs

Sold separately.



**Mistral Wall Plug**  
Retail: 129.95



**Mistral IEC C-13 Plug**  
Retail: 129.95




**Mistral IEC C-19 Plug**  
Retail: 129.95













## AC Power Cables: Storm Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit's current draw is minimal.







Plugs for Storm Series



**Variable Current (High-Current) AC Power Cables** - Optimized for use with AC power conditioners/regenerators, power amplifiers, and any components that contain a built-in power amplifier, including AV receivers, powered speakers, and powered subwoofers.

Model		 <b>Thunder</b> 72v DBS	 <b>Tornado</b> 72v DBS	 <b>Hurricane</b> 72v DBS	 <b>FireBird</b> 72v DBS	 <b>Dragon</b> 72v DBS
<b>Metal</b>		Solid Long-Grain Copper (LGC) and Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper (PSC) and Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS) and Perfect-Surface Copper+ (PSC+)	Primarily Solid Perfect-Surface Silver (PSS)
<b>Technology</b>		ZERO Tech (No Characteristic Impedance) for Uncompressed Current Transfer; GND (Ground-Noise Dissipation)				
<b>Jacket</b>		Brown/Black Braid 	Silver/Black Braid 	Dark Blue/Black Braid 	Dark Red/Black Braid 	Black/Black Braid 
<b>Termination and Gauge</b>		Hanging-Silver over Red and Beryllium Copper - 11 AWG Line and Neutral / 12 AWG Ground (20 Amps RMS @ 120V)				
Meters	Feet	Retail	Retail	Retail	Retail	Retail
1m	3' 3"	849.95	1,199.95	1,749.95	3,400.00	5,400.00
2m	6' 6"	999.95	1,499.95	2,499.95	5,800.00	9,800.00
3m	9' 10"	1,149.95	1,799.95	3,249.95	8,200.00	14,200.00
Other prepared lengths use formula:		150.00/m + 699.95	300.00/m + 899.95	750.00/m + 999.95	2,400.00/m + 1,000.00	4,400.00/m + 1,000.00

**Constant-Current (Source) AC Power Cables** - Optimized for use with audio/video source components, which have a constant or "fixed" current draw.

Model		-	 <b>Tornado</b> 72v DBS	 <b>Hurricane</b> 72v DBS	 <b>FireBird</b> 72v DBS	 <b>Dragon</b> 72v DBS
<b>Termination and Gauge</b>		-	Hanging-Silver over Red and Beryllium Copper - 16 AWG Line, Neutral and Ground (12 Amps RMS @ 60 Hz)			
Meters	Feet	-	Retail	Retail	Retail	Retail
1m	3' 3"	-	949.95	1,399.95	2,900.00	4,400.00
2m	6' 6"	-	1,099.95	1,899.95	4,800.00	7,800.00
3m	9' 10"	-	1,249.95	2,399.95	6,700.00	11,200.00
Other prepared lengths use formula:		-	150.00/m + 799.95	500.00/m + 899.95	1,900.00/m + 1,000.00	3,400.00/m + 1,000.00

## AC Power Accessories



### NRG Edison Duplex Wall Outlet

- Low-Z Power Noise-Dissipation
- Polished High-Tension Surfaces with Hanging-Silver Plating
- Significantly Greater Metal Mass For Optimum Current Delivery
- Beryllium-Copper Base Metal
- Includes Duplex Outlet, Wall Plate and Hardware

### NRG Edison (15 Amp)

Retail: 179.95

### NRG Edison (20 Amp)

Retail: 179.95



### C7 90° Adaptor Kit

- Provides 90° bends for C7 power connections
- Also connects for double bends
- Non-polarized for maximum flexibility
- Retail package contains 1 x "E" adaptor and 1 x "U" adaptor

### Set of 2

Retail: 35.90

AC Power C7 90° Adaptors are also sold in Installer Packs. See page 56.

## Female to Male IEC C-13 Adaptors


Premium Single-Piece Metal Conductors from Input to All Outputs Preserve Advantages of Superior AudioQuest NRG Series AC Cables.



### IEC90°/1

Adaptor Bends in Direction of 1 Center

Retail: 19.95



### IEC90°/2

Adaptor Bends in Direction of 2 Outer Pins

Retail: 19.95




### IEC>3US Power Strip

Retail: 39.95

## Fog Lifters

Place Fog Lifters beneath audio and AC power cables to significantly reduce RF noise coupling, whether with the floor, or due to misdirected efforts to isolate cable with stands or clamps that themselves have too much contact mass and are sources of RF noise.



### Set of 8

Retail: 149.95

# Speaker Cables

## Meticulously Designed to Minimize Noise and Distortion

### Do No Harm: The Four Elements Today

AudioQuest's Four Elements are always applied in the most thoughtful, effective ways to offer the best performance for the money—at all price points. While our implementation of these techniques has evolved over the years, our guiding principle remains the same: *Do No Harm*.

### Solid Conductors

Strand interaction remains the biggest potential source of distortion in cables. Solid Conductors are the aspirational ideal and most complete solution to this problem. However, thoughtfully arranged multi-conductor geometries such as concentric windings are used to create our Semi-Solid Conductor technologies. These avoid many strand-distortion mechanisms and are in their own right ideal in a growing number of applications.

### High-Purity Metal

Higher-purity conductor metals with smoother surfaces and internal crystal structures greatly reduce noise and distortion. Carefully finessed mixes of metals and conductor sizes can be effectively used to define a cable's *Sonic Signature*—a cost-effective technique for high-value, high-performance models.

### Noise-Dissipation

Unwanted Radio-Frequency (RF) noise is and has always been picked up and induced into cable. This contamination ultimately masks and distorts critical portions of the audio/video signal. As this distortion-causing (parasitic) RF signal is more present today than at any previous time in history, we must depend on a wider arsenal of Noise-Dissipation technologies:

- Directionally Controlled conductors minimize high-frequency noise by "directing" or draining it away from the most vulnerable circuits.
- ZERO Technology (No Characteristic Impedance) applies Ultra-Linear Noise-Dissipation across the widest range of frequencies possible. It also enables uncompressed transient current transfer for AC power and loudspeaker/power amplifier applications.
- Ground-Noise Dissipation (GND) cancels induced RF noise via its unique phase-cancelling array.
- Tried-and-true DBS has evolved to include RF-Noise Traps that further reduce dielectric distortion and induced noise.


### Dielectric

Insulation is necessary between conductors to minimize signal interaction and electrical shorts. The ideal is virtually no dielectric interaction (such as is achieved with our ZERO Technology). However, by optimizing the dielectric material between signal conductors, this distortion is greatly minimized.




# Speaker Cable Applications


## Full-Range (FR) Non-BiWire, All Models




## Single-BiWire (SBW) Rocket Models Only



## BiWire COMBO Folk Heroes and Mythical Creatures ZERO and BASS Combination



## Single-BiAmp (SBA) Rocket Models Only



### Termination Upcharge:

SureGrip 300 Multi-Spade or Banana  
Retail: 89.00

500 Series Multi-Spade or Banana  
Retail: 159.00

1000 Series Multi-Spade or Banana  
Retail: 239.00

## REL Acoustics™ Stereo High-Level Subwoofer Cable



This represents one of several connection possibilities with REL Subwoofers.  
Please contact your AudioQuest service representative for assistance.

# Mythical Creature & Folk Hero Termination Options: Bananas or Spades?

## Amplifier-End Connector:


Choice of 1000 Series Multi-Spade, Banana, U-Spade, or V-Spade (Silver only)




Insulated (compliant) binding posts may not allow for 2 sets of connectors.

Often, the choice between terminating speaker cables with spade lugs or banana plugs will come down to personal preference. However, today's EU-compliant isolated binding posts are being used on more power amplifiers than ever before. This sometimes makes it difficult, if not impossible, to use a banana connector. Further, given the girth and weight of our Mythical Creature Series speaker cables, a spade may be better capable of fully supporting the cable. This is particularly a concern with binding posts that do not allow a banana connector to fully seat into the post.


Further, the EU-compliant posts will neither accept our V-Spade nor allow our Multi-Spade to be fully seated. For these applications (or when you're not certain), **we highly recommend the U-Spade**, as it can accommodate any binding post. The V-Spade is a specialty spade connector that works well with large wingnut binding posts (such as the Mundorf), as it allows extra clearance.




Banana Dimensions (in.)



Multi-Spade Dimensions (in.)



U-Spade Dimensions (in.)



V-Spade Dimensions (in.)

## Speaker-End Connector:

Choice of 1000-Series Spade or Banana (Silver only)

Here we typically recommend the U-Spade or banana connector. However, even though there is less weight and pressure on this side of the cable (particularly for Bi-Wire sets), it is nevertheless important to note the binding post's design. If a banana connector cannot seat all the way into the binding post, we recommend one of our spade connectors.

## How to Order Prepared Speaker Cables

First please specify type of connector (banana or appropriate spade), then the finish of connector (silver\*).

(\*or gold where applicable)



Pair prices shown. Also available in singles (i.e. for center channel, subwoofer, or mono) at half pair price.

When ordering any factory-terminated speaker cable, please include the required elements shown in the examples below:

Qty.	Pair or Single	Length	Model	FR/BWC/SBW	Amplifier Termination	Speaker Termination	Silver or Gold
1	Pair	10 ft.	Rocket 88	FR	Spade	Banana	Silver
1	Single	6 ft.	William Tell	COMBO	U-Spade	Banana	N/A
1	Single	10 ft.	Rocket 44	SBW	Spade	Banana	Gold




## Speaker Cables: Q2 and Type Series (5, 9, Type9+DBS)




Model	Q2	Type 5	Type 9	Type 9+DBS ● 72v DBS
<b>Metal</b>	Concentric Long-Grain Copper (LGC)	Solid PSC+ Sonic-Signature Conductors and Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+)	
<b>Gauge</b>	15 AWG	15 AWG	15 AWG	15 AWG
<b>Geometry</b>	Low-Inductance Twisted-Pair	Star-Quad		
<b>Noise-Dissipation</b>	No	Carbon-Based Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	
<b>Jacket</b>	Prepared: Black PVC Bulk: White or Black PVC	Brown/Black Braid	Red/Black Braid	
<b>Plugs</b>	Prepared: SureGrip 100 (Silver) Banana Bulk: SureGrip 100 (Silver or Gold) Banana	SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana	500 Series (Silver or Gold) Choice of Multi-Spade or Banana	1000 Series (Silver) Choice of Multi-Spade or Banana
<b>Prepared Lengths in Feet</b>	<b>Retail</b>	<b>Retail</b>	<b>Retail</b>	<b>Retail</b>
6' Pair	-	339.95	579.95	879.95
8' Pair	-	369.95	639.95	939.95
10' Pair	229.95	399.95	699.95	999.95
12' Pair	-	429.95	759.95	1,059.95
15' Pair	-	474.95	849.95	1,149.95
Other prepared lengths use formula:	-	15.00/ft + 249.95	30.00/ft + 399.95	30.00/ft + 699.95
<b>Bulk Cables in Feet</b>	<b>Retail</b>	<b>Retail</b>	<b>Retail</b>	<b>Retail</b>
164' Bulk	-	-	15.00/ft	-
328' Bulk	1,148.00/box	7.50/ft	-	-

## Speaker Cables: Rocket Series

Rocket 11 Inside View



Rocket 88 Inside View



Model	Rocket 11	Rocket 22	Rocket 33	Rocket 44	Rocket 88 🟢 72v DBS
Metal	Semi-Solid True-Concentric Long-Grain Copper (LGC)	Semi-Solid True-Concentric PSC and LGC	Solid PSC and LGC	Solid PSC+ and PSC	Solid PSC+
Gauge	14 AWG	12 AWG	14 AWG	13 AWG	
Geometry	Double Spiral-Pair		Double Star-Quad		
Dielectric	PVC		Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation	No	Carbon-Based Noise-Dissipation			
Jacket	Black with Gray Stripes CL3 PVC	Black with Blue Stripes CL3 PVC	Red/Black Braid or PVC	Silver/Black Braid or PVC	Green/Black Braid or PVC
Application Options	Full-Range and Single-BiWire			Full-Range, Single-BiWire, REL	
Plugs	SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana		SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana	500 Series (Silver or Gold) Choice of Multi-Spade or Banana	
Prepared Lengths in Feet	Retail	Retail	Retail	Retail	Retail
8' Pair	283.95	359.95	399.95	629.95	1,199.95
10' Pair	299.95	399.95	445.95	729.95	1,339.95
12" Pair	-	-	499.95	829.95	1,479.95
15' Pair	339.95	499.95	574.95	979.95	1,689.95
Other prepared lengths use formula:	8.00/ft + 219.95	20.00/ft + 199.95	25.00/ft + 199.95	50.00/ft + 229.95	70.00/ft + 639.95
Bulk Cables in Feet	Retail	Retail	Retail	Retail	Retail
30' Bulk	109.95/box	-	-	-	-
164' Bulk	4.00/ft	10.00/ft	12.50/ft	25.00/ft	35.00/ft
328' Bulk	4.00/ft	10.00/ft	12.50/ft	-	-

Note: For bulk cables, retail price is listed per foot. Rocket 11 30' sold in retail package.

## Speaker Cables: Robin Hood (Folk Heroes)



Model	Robin Hood ZERO 🟢 72v DBS	Robin Hood BASS 🟢 72v DBS	Robin Hood BiWire COMBO (ZERO + BASS) 🟢 72v DBS	Robin Hood SILVER 🟢 72v DBS	Robin Hood SILVER BiWire COMBO (SILVER + BASS) 🟢 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)		Refer to Specs for ZERO and BASS	Solid PSS Sonic-Signature Conductors and PSC+	Refer to Specs for SILVER and BASS
Gauge	15 AWG			15 AWG	
Geometry	ZERO Tech (No Characteristic Impedance)			ZERO Tech (No Characteristic Impedance)	
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	GND (Ground-Noise Dissipation)		Multi-Layer Carbon-Based Noise-Dissipation	
Jacket	Dark Green/Black Braid	Black Braid		Light Gray/Black Braid	
Application Options	Full-Range or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)		Full-Range or BiWire COMBO (when combined with BASS cable)	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade				
Prepared Lengths in Feet	Retail	Retail	Retail	Retail	Retail
8' Pair	1,790.00	1,790.00	3,580.00	4,990.00	6,780.00
10' Pair	1,990.00	1,990.00	3,980.00	5,990.00	7,980.00
12' Pair	2,190.00	2,190.00	4,380.00	6,990.00	9,180.00
15' Pair	2,490.00	2,490.00	4,980.00	8,490.00	10,980.00
Other prepared lengths use formula:	100.00/ft + 990.00	100.00/ft + 990.00	200.00/ft + 1,980.00	500.00/ft + 990.00	600.00/ft + 1,980.00



## Speaker Cables: William Tell (Folk Heroes)



Model	William Tell ZERO 72v DBS	William Tell BASS 72v DBS	William Tell BiWire COMBO (ZERO + BASS) 72v DBS	William Tell SILVER 72v DBS	William Tell SILVER BiWire COMBO (SILVER + BASS) 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)	Solid PSC+ Sonic-Signature Conductors and LGC	Refer to Specs for ZERO and BASS	Solid PSS Sonic-Signature Conductors and PSC+	Refer to Specs for SILVER and BASS
Gauge	13 AWG			13 AWG	
Geometry	ZERO Tech (No Characteristic Impedance)			ZERO Tech (No Characteristic Impedance)	
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	GND (Ground-Noise Dissipation)		Multi-Layer Carbon-Based Noise-Dissipation	
Jacket	Dark Red/Black Braid	Black Braid		Silver/Black Braid	
Application Options	Full-Range or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)		Full-Range or BiWire COMBO (when combined with BASS cable)	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade				
Prepared Lengths in Feet	Retail	Retail	Retail	Retail	Retail
8' Pair	2,990.00	2,000.00	4,990.00	6,990.00	8,990.00
10' Pair	3,390.00	2,200.00	5,590.00	8,390.00	10,590.00
12' Pair	3,790.00	2,400.00	6,190.00	9,790.00	12,190.00
15' Pair	4,390.00	2,700.00	7,090.00	11,890.00	14,590.00
Other prepared lengths use formula:	200.00/ft + 1,390.00	100.00/ft + 1,200.00	300.00/ft + 2,590.00	700.00/ft + 1,390.00	800.00/ft + 2,590.00

## Speaker Cables: ThunderBird (Mythical Creatures)




Model	ThunderBird ZERO 🟢 72v DBS	ThunderBird BASS 🟢 72v DBS	ThunderBird BiWire COMBO (ZERO + BASS) 🟢 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)	Solid PSC+ Sonic-Signature Conductors and LGC	Refer to Specs for ZERO and BASS
Gauge	10 AWG		
Geometry	ZERO Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	GND (Ground-Noise Dissipation)	
Jacket	Blue/Black Braid		
Application Options	Full-Range or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade		
Prepared Lengths in Feet	Retail	Retail	Retail
8' Pair	4,940.00	3,660.00	8,600.00
10' Pair	5,700.00	4,100.00	9,800.00
12' Pair	6,460.00	4,540.00	11,000.00
15' Pair	7,600.00	5,200.00	12,800.00
Other prepared lengths use formula:	380.00/ft + 1,900.00	220.00/ft + 1,900.00	600.00/ft + 3,800.00

## Speaker Cables: FireBird (Mythical Creatures)



Model	FireBird ZERO 🟢 72v DBS	FireBird BASS 🟢 72v DBS	FireBird BiWire COMBO (ZERO + BASS) 🟢 72v DBS
Metal	Solid Perfect-Surface Silver (PSS) Sonic-Signature Conductors and Perfect-Surface Copper+ (PSC+)		Refer to Specs for ZERO and BASS
Gauge	10 AWG		
Geometry	ZERO Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	GND (Ground-Noise Dissipation)	
Jacket	Dark Red/Black Braid		
Application Options	Full-Range or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade		
Prepared Lengths in Feet	Retail	Retail	Retail
8' Pair	15,500.00	12,300.00	27,800.00
10' Pair	18,900.00	14,900.00	33,800.00
12' Pair	22,300.00	17,500.00	39,800.00
15' Pair	27,400.00	21,400.00	48,800.00
Other prepared lengths use formula:	1,700.00/ft + 1,900.00	1,300.00/ft + 1,900.00	3,000.00/ft + 3,800.00

Speaker Cables: Dragon (Mythical Creatures)



Model	Dragon ZERO 🟢 72v DBS	Dragon BASS 🟢 72v DBS	Dragon BiWire COMBO (ZERO + BASS) 🟢 72v DBS
Metal	Solid Perfect-Surface Silver (PSS) Sonic-Signature Conductors and Perfect-Surface Copper+ (PSC+)		Refer to Specs for ZERO and BASS
Gauge	10 AWG		
Geometry	ZERO Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	GND (Ground-Noise Dissipation)	
Jacket	Black Braid		
Application Options	Full-Range or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade		
Prepared Lengths in Feet	Retail	Retail	Retail
8' Pair	27,500.00	21,100.00	48,600.00
10' Pair	33,900.00	25,900.00	59,800.00
12' Pair	40,300.00	30,700.00	71,000.00
15' Pair	49,900.00	37,900.00	87,800.00
Other prepared lengths use formula:	3,200.00/ft + 1,900.00	2,400.00/ft + 1,900.00	5,600.00/ft + 3,800.00

## Speaker Cable Accessories

### PSC BiWire Jumpers

Solid PSC Copper Jumpers replace stamped jumpers supplied with BiWireable speakers.

**Set of (4) 4-inch Jumpers.**



**BiWire Jumpers-G (Direct-Gold Plated)**  
Retail: 29.95



**BiWire Jumpers-S (Direct-Silver Plated)**  
Retail: 29.95

### BiWire Jumpers

Easy and affordable upgrades over the common gold-plated, stamped-brass jumpers included with most biwireable loudspeakers. AudioQuest BiWire Jumpers use Direction-Controlled Solid Perfect-Surface Copper+ (PSC+, Saturn) or Perfect-Surface Silver (PSS, Jupiter) conductors.

Choice of Hanging-Silver or Hanging-Gold 500 Series Banana or Multi-Spade connectors. Please specify silver or gold when ordering. Length of jumpers is 8 inches including connectors.



#### Saturn (PSC+)

**Set of 4**  
Retail: 229.95



#### Jupiter (PSS)



**Set of 4**  
Retail: 549.95

## Using BiWire Jumpers with Full-Range Cables on BiWire-Capable Speakers

**Connect BiWire Jumpers, (-) Treble to (-) Bass and (+) Treble to (+) Bass**


**3-Way or Panel/Hybrid:** Connect Speaker Cable to (+) and (-) Treble Input

**2-Way speakers:** Connect (+) Speaker Cable to Treble (+) Input and (-) Speaker Cable to (-) Bass Input



### Fog Lifters

Place Fog Lifters beneath audio and AC power cables to significantly reduce RF noise coupling, whether with the floor, or due to misdirected efforts to isolate cable with stands or clamps that themselves have too much contact mass and are sources of RF noise.



**Set of 8**  
Retail: 149.95



# Analog-Audio Interconnect Cables

*The Higher You Climb, The Less You Hear?*

Climbing the ladder of AudioQuest Analog Interconnect Cables leads to better and better performance. This makes immediate sense, but perhaps less intuitive is the fact that moving up the line means you hear less of the cable. The reason is simple: As more of the delicate audio signal is protected from damage along the way, the listener experiences more of the truth and emotional impact of the music. Greater faithfulness to the audio signal is made possible by the use of superior materials and the careful implementation of increasingly sophisticated design and construction techniques.

Music is wonderfully complex, and our ears are very sensitive to its nuances. The remarkably affordable Bridges & Falls Series is an amazing place to start the journey. Yet, every step up the ladder to the Elements Series delivers even more clarity, smoother and more natural sound, greater dynamic slam, and more nuanced expression from the music.

As you climb with your customers, you'll hear progressions in metal, from Solid Long-Grain Copper to Perfect-Surface Copper, Copper+, and Silver; in Geometry, from Double- to Triple-Balanced; in insulation, from Foamed-PE to FEP Air-Tubes; and in Noise-Dissipation techniques, from Metal- to Carbon-Based Multi-Layer Noise-Dissipation and our patented Dielectric-Bias System.

Throughout the line, the AQ performance-driven value system is always 100% evident. Climb until the incremental cost of the higher model is no longer the least expensive way to make the most improvement—but don't be surprised if your customers find themselves at the top of the line before reaching that point!



Angel



Wind



Victoria



Water



Sydney



Yukon



Big Sur



Mackenzie



Golden Gate




Red River





























Evergreen



Chicago

























# Analog-Audio Interconnect Cables: Bridges & Falls

3.5mm Male Mini									
2-Male RCA									
3.5mm Female Mini									
5 Pin DIN									
Model	Tower	Evergreen	Golden Gate	Big Sur	Sydney	Victoria ● 72v DBS	Yosemite ● 72v DBS	Angel ● 72v DBS	
Metal	Solid Long-Grain Copper (LGC)		Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)				Solid Perfect-Surface Silver (PSS)	
Geometry	Asymmetrical Double-Balanced (Lower Impedance on Ground, Same Quality + and – Conductors)								
Dielectric	Foamed-Polyethylene				Polyethylene Air-Tubes		FEP Air-Tubes		
Noise-Dissipation	Metal-Layer Noise-Dissipation				Carbon-Based Noise-Dissipation				
Jacket	Black with White Stripes PVC	Green/Black Braid	Red/Black Braid	Brown/Black Braid	Dark Gray/Black Braid	Blue/Black Braid	Green/Black Braid	Silver/Black Braid	
Termination	Cold-Welded, Gold-Plated			Cold-Welded, Gold-Plated Pure Purple Copper	Cold-Welded, Direct-Silver Plated Pure Purple Copper	Cold-Welded, Direct-Silver Plated Pure Red Copper			
Application									
3.5mm Male Mini - 2-Male RCA					Yes				
2-Male RCA - 2-Male RCA					Yes				
3.5mm Male Mini - 3.5mm Male Mini					Yes				
3.5mm Male Mini - 3.5mm Female Mini	3m and 5m Only	No	2m and 5m Only	No	No	2m and 5m Only	Yes		
3.5mm Male Mini - 5 Pin DIN	No			Yes					
5 Pin DIN - 5 Pin DIN	No			Yes					
5 Pin DIN - 2-Male RCA	No			Yes					
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail	Retail	Retail
0.6m	1' 11"	27.95	45.95	74.95	117.95	169.95	299.95	571.95	999.95
1m	3' 3"	29.95	49.95	79.95	129.95	199.95	349.95	659.95	1,199.95
1.5m	4' 11"	32.95	54.95	87.95	144.95	234.95	399.95	769.95	1,449.95
2m	6' 6"	35.95	59.95	94.95	159.95	269.95	449.95	879.95	1,699.95
3m	9' 10"	41.95	69.95	109.95	189.95	339.95	549.95	1,099.95	2,199.95
5m	16' 4"	53.95	89.95	139.95	249.95	479.95	749.95	1,539.95	3,199.95
8m	26' 2"	71.95	119.95	184.95	339.95	689.95	1,049.95	2,199.95	4,699.95
12m	39' 4"	95.95	159.95	244.95	459.95	969.95	1,449.95	3,079.95	6,699.95
16m	52' 5"	119.95	199.95	304.95	579.95	1,249.95	1,849.95	3,959.95	8,699.95
20m	65' 7"	143.95	239.95	364.95	699.95	1,529.95	2,249.95	4,839.95	10,699.95
Other prepared lengths use formula:	-	-	-	-	-	100/m + 249.95	220/m + 439.95	500/m + 699.95	

Tower and Golden Gate are also sold in Installer Packs. See page 56.

Note: Victoria is out of stock until further notice.


# Analog-Audio Interconnect Cables: Rivers & Elements

Male RCA									
									
									
Model	Chicago	Red River	Mackenzie	Yukon	Water 72v DBS	Earth 72v DBS	Wind 72v DBS	Fire 72v DBS	
Metal	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)					Solid Perfect-Surface Silver (PSS)	
Geometry	Double-Balanced	Triple-Balanced (Separate Ground-Reference Conductor)							
Dielectric	Hard-Cell Foam			Polyethylene Air-Tubes			FEP Air-Tubes		
Noise-Dissipation	Metal-Layer Noise-Dissipation		Carbon-Based Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation				
Jacket	Green/Black Braid or CL3/FT4 PVC	Red/Black Braid or CL3/FT4 PVC	Brown/Black Braid or CL3/FT4 PVC	Black/Dark Gray Braid	Blue/Black Braid	Green/Black Braid	Silver/Black Braid	Red/Black Braid	
Termination	Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver directly over pure Purple Copper		Cold-Welded, Hanging-Silver Plating directly over High-Purity Red Copper Plugs				
Application									
Male RCA - Male RCA		Yes	Yes						
Female XLR - Male XLR		No	Yes						
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail	Retail	Retail
0.5m	1' 7"	94.95	169.95	254.95	394.95	599.95	999.95	1,699.95	2,499.95
0.75m	2' 5"	97.95	174.95	267.95	422.95	649.95	1,099.95	1,999.95	2,999.95
1m	3' 3"	99.95	179.95	279.95	449.95	699.95	1,199.95	2,299.95	3,499.95
1.5m	4' 11"	104.95	189.95	304.95	504.95	799.95	1,399.95	2,899.95	4,499.95
2m	6' 6"	109.95	199.95	329.95	559.95	899.95	1,599.95	3,499.95	5,499.95
3m	9' 10"	119.95	219.95	379.95	669.95	1,099.95	1,999.95	4,699.95	7,499.95
4.5m	14' 9"	134.95	249.95	454.95	834.95	1,399.95	2,599.95	6,499.95	10,499.95
5m	16' 4"	139.95	259.95	479.95	889.95	1,499.95	2,799.95	7,099.95	11,499.95
6m	19' 8"	149.95	279.95	529.95	999.95	1,699.95	3,199.95	8,299.95	13,499.95
Other prepared lengths use formula:		10/m + 89.95	20/m + 159.95	50/m + 229.95	110/m + 339.95	200/m + 499.95	400/m + 799.95	1,200/m + 1,099.95	2,000/m + 1,499.95
Bulk Cables		Retail	Retail	Retail	Retail	Retail	Retail	Retail	Retail
50m Bulk	164'	-	-	25.00/ft	-	-	-	-	-
100m Bulk	328'	5.00/ft	10.00/ft	-	-	-	-	-	-

Note: For bulk cables, retail price is listed per foot.



## Analog-Audio Interconnect Accessories



### FLX-Mini Splitter

3.5mm Mini Male Stereo >  
(2) 3.5mm Female Stereo

**Metal:** Solid Perfect-Surface  
Copper+ (PSC+)

**Length:** 15cm (6 in.)

**Retail:** 19.95




### FLX-Mini/RCA Adaptor

3.5mm Mini Male Stereo <->  
2 Female RCA (L & R)

**Metal:** Solid Perfect-Surface  
Copper+ (PSC+)

**Length:** 15cm (6 in.)

**Retail:** 19.95



### Hard Mini/RCA Adaptor

Hard Mini 3.5mm Male <->  
2 Female RCA (L & R)  
(Not for Bridges & Falls)

**Retail:** 19.95



### FLX-X RCA Splitter

RCA Male >  
2 Female RCA (L & R)

**Metal:** Solid Long-Grain Copper  
(LGC)

**Length:** 15cm (6 in.)

**Retail:** 19.95




### FLX-X RCA Splitter

RCA Female >  
2 Male (L & R)

**Metal:** Solid Long-Grain  
Copper (LGC)

**Length:** 15cm (6 in.)

**Retail:** 19.95



### M21F-90 Adaptor

Female RCA to Right Angle  
Male RCA

**Retail:** 12.95



### Hard RCA Splitter

Male RCA > 2 Female RCA

**Retail:** 15.95



### RCA - RCA Coupler

Female RCA <-> Female RCA

**Retail:** 9.95



### PreAmp Jumpers

Solid Perfect-Surface Copper+ (PSC+) conductors  
in Polyethylene Air-Tubes. Replaces factory fitted  
"U" jumpers on integrated amps and receivers.

**Retail:** 39.95




## Subwoofer Cables



Model		Black Lab	Greyhound	Irish Red	Boxer	Husky 72v DBS	Wolf 72v DBS
Metal		Long-Grain Copper (LGC)	0.5% Silver		1.25% Silver	5% Silver	10% Silver
Conductor		Solid Conductors					
Geometry		Symmetrical Coax			Double-Balanced	Triple-Balanced	
Dielectric		Foamed-Polyethylene			Polyethylene Air-Tubes		FEP Air-Tubes
Noise-Dissipation		Metal-Layer Noise-Dissipation			Carbon-Based Noise-Dissipation	Carbon-Based Multi-Layer Noise-Dissipation	
Jacket		Black with White Stripes CL3/FT4 Rated PVC	Light Gray-Striped White CL3/FT4 Rated PVC	Up to 5m: Red/Black Braid 8m and Longer CL3/FT4 Rated: Black PVC with Red Stripes	Up to 5m: Brown/Black Braid 8m and Longer CL3/FT4 Rated: Black PVC with Brown Stripes	Blue/Black Braid or CL3/FT4 Rated Black PVC with Blue Stripes (Any Length)	Silver/Black Braid or CL3/FT4 Rated Black PVC with Silver Stripes (Any Length)
Termination		Cold-Welded, Gold-Plated			Cold-Welded, Hanging-Silver directly over pure Red Copper		
Application - Attached Chassis-Ground Connector							
RCA - RCA		Yes					
RCA/XLR Mixed		No				Yes	
XLR - XLR		No				Yes	
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
2m	6' 6"	42.95	59.95	88.95	177.95	344.95	879.95
3m	9' 10"	49.95	69.95	99.95	199.95	399.95	999.95
5m	16' 4"	64.95	85.95	124.95	243.95	519.95	1,239.95
8m	26' 2"	89.95	109.95	164.95	309.95	699.95	1,599.95
12m	39' 4"	119.95	139.95	214.95	397.95	939.95	2,079.95
16m	52' 5"	149.95	169.95	264.95	485.95	1,179.95	2,559.95
20m	65' 7"	179.95	199.95	314.95	573.95	1,419.95	3,039.95
Other prepared lengths use formula:		-	-	-	-	60.00/m + 219.95	120.00/m + 639.95

Note: Greyhound is optimized for custom-installation projects that require its thin, discreet design. It does not include a chassis-ground connector.

## Tonearm Cables



Model		WildCat	Cougar 72v DBS	LeoPard 72v DBS	WEL Signature 72v DBS
Metal		Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)	
Dielectric		Foamed-Polyethylene		FEP Air-Tubes	
Noise-Dissipation		Metal-Layer Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation	
Capacitance		Less than 65pF/1.5m		Less than 56pF/1.2m	
Jacket		White/Gray Braid	Black Braid	Gray PVC	Gray/Black Stripes PVC
Application - Attached Chassis-Ground Connector					
RCA - RCA		Yes	Yes	Yes	
Straight 5-pin JIS Plug - RCA		Yes	Yes	Yes	
Right Angle 5-pin JIS Plug - RCA		No	No	Yes	
XLR - XLR		No	No	Yes	
JIS or RCA - XLR		No	No	Call	
Meters	Feet	Retail	Retail	Retail	Retail
1.2m	3' 11"	-	-	899.95	4,125.00
1.5m	4' 11"	119.95	399.95	-	-
2.0m	6' 6"	-	-	1,199.95	4,917.00



## Reference Phono Cartridges



**Stylus  
Performance Treatment**  
Retail: 60.00/each



**Delos**  
Retail: 1,995.00



**Kleos**  
Retail: 3,695.00



**Kleos SL**  
Retail: 3,995.00



**Kleos Mono**  
Retail: 3,995.00



**Etna λ Lambda**  
Retail: 8,995.00



**Etna SL λ Lambda**  
Retail: 9,995.00



**Etna λ Lambda Mono**  
Retail: 9,995.00



**Atlas λ Lambda**  
Retail: 11,995.00



**Atlas SL λ Lambda**  
Retail: 12,995.00



**Atlas λ Lambda Mono**  
Retail: 12,995.00

## Vinyl and Headphone Accessories

### GroundGoody Tonearm & Ground Wires


AudioQuest GroundGoody's use Direction-Controlled Perfect-Surface Conductors and Direct-Silver Plated (#10 stud) spades to help prevent hum and efficiently drain radio-frequency noise. Partner GroundGoody with any AudioQuest RCA cable to create a low-distortion and low-noise tonearm cable.



#### GroundGoody Saturn

Perfect-Surface Copper+ (PSC+) Conductors

	Feet	Retail
0.6m	1' 11"	27.95
1m	3' 3"	29.95
1.5m	4' 11"	31.95
2m	6' 6"	33.95
3m	9' 10"	37.95



#### GroundGoody Jupiter

Perfect-Surface Silver (PSS) Conductors

	Feet	Retail
0.6m	1' 11"	129.95
1m	3' 3"	199.95
1.5m	4' 11"	279.95
2m	6' 6"	359.95
3m	9' 10"	519.95

### Anti-Static Record Brush

Highly Conductive Carbon Fibers

Single

Retail: 16.95



### Super-Conductive Anti-Static Record Brush

1,248,000 Highly Conductive Carbon Fibers with No-Resistance Path to Finger-Grip

Single

Retail: 29.95




### HL-5 Headshell Leads

Silk-wrapped Linear-Crystal Copper Litz Conductors

Set of 4

Retail: 59.95



### NightBird Model One

- Fits NightHawk and NightOwl Headphones
- Perfect-Surface Copper+ (PSC+)
- Noise-Dissipation
- Robust: Tested to 28,000 bends

Meters	Feet	Retail
2m	6' 6"	99.95
3m	9' 10"	129.95
4m	13' 1"	159.95
5m	16' 4"	189.95



### Headphone Plug Adaptor

- Stereo 3.5mm Female > Stereo 1/4" Male
- Silver Plating Directly Over Extreme-Purity Brass
- Superior Materials and Firm Contact Pressure Ensure Ideal Signal Transfer

Retail: 29.95



### Perch Headphone Stand

- Easily and safely accommodates all headphones
- High-quality materials
- Heavy base provides stability

Retail: 89.95





# HDMI Cables

## Does AudioQuest offer the right HDMI cables for 4K TVs, 8K TVs, and beyond?

**Yes!** All of AudioQuest's new 48Gbps HDMI cables can transfer up to professional 10K Ultra-HD video. The impressive 48Gbps data rate is made possible by four balanced audio/video pairs capable of 12Gbps each. And, of course, the latest technology is backwards compatible with 4K displays.

### Video Up to 10K

AudioQuest 48Gbps HDMI cables are completely backwards compatible with existing devices and have the bandwidth required for video with resolutions up to 10K and resolutions/refresh rates up to 8K/60 and 4K/120.

### HDR (High Dynamic Range)

All AudioQuest HDMI cables support HDR (High Dynamic Range) and Dynamic HDR. HDR content expands the contrast of the image for blacker blacks and brighter whites/highlights as well as greater color saturation and brightness. In addition, 4K Ultra-HD content allows for a wider color range.

This combination of technologies results in more realistic HDR images with greater perceived depth. Dynamic HDR (HDR10+ and Dolby Vision, for example) enables frame-by-frame HDR optimization rather than HDR settings that are fixed for the entire program. The most prominent current HDR formats are HDR10, HDR10+, and Dolby Vision.

AudioQuest 18Gbps and 48Gbps HDMI cables are compatible with all varieties of HDR, which can be found on Ultra-HD Blu-ray, and all major streaming services, including Netflix, Amazon Prime, Disney+, Apple TV+, and others.

### ARC (Audio Return Channel) and eARC (enhanced Audio Return Channel)

HDMI's Audio Return Channel (ARC) sends audio from a TV to a soundbar or AV receiver for greater simplicity and flexibility in system setup. Hardware's previous ARC capabilities max out at lossy (compressed) 5.1-channel surround sound.

Today's HDMI 2.1 hardware supports enhanced Audio Return Channel (eARC), which increases the digital bandwidth dramatically to support uncompressed and lossless high-resolution multichannel audio, including Dolby TrueHD and Atmos, and DTS-HD Master Audio and DTS: X.

**8K-10K**



**48G<sub>bps</sub>**


Not only do all current generations of AudioQuest HDMI cables have the conductors and bandwidth required for eARC's enhanced sonic capabilities, but, in order to ensure superior audio performance, the ARC-channel conductor-pair is internally controlled for direction, running in the opposite direction from the 4 pairs that carry information to the TV.

Finally, AudioQuest's eARC-Priority models include 4 Silver-Plated Forest 48-level audio/video data pairs—but with a far superior single data pair for the TV's audio output. By upgrading the ARC data path only, audiophile quality is made possible at a fraction of the cost of upgrading all 5 data pairs.



## New Packaging

AudioQuest has turbo-charged all of its HDMI packaging with easy-to-read icons and explanations of the design and material elements that define each cable and its place in the line. Comparing, contrasting and selecting the right cable is easier than ever before.



Solid Long-Grain Copper, Silver-Plated Copper, or Perfect-Surface Silver maximize Noise-Dissipation and overall performance.



Six Levels of Noise-Dissipation (ND) combat distortion caused by RF Noise contaminating digital and analog circuitry.



Because sound is where all the emotion and drama comes from, AQ's eARC channel gets 100% the same love as the four AV channels.



We've got your back. Performance backed by reliability.



The 48Gbps necessary for all of HDMI's new and future features is made possible by upgrading the 4 AV channels from 6 to 12Gbps.

## HDMI A/V Cables: 18Gbps, 48Gbps, and eARC-Priority: BlueBerry to Vodka eARC (5 more models on next page)

- All models use Solid Signal and Ground-Reference Conductors.
- All 19 conductors (A/V, eARC, Ground-Reference Drains, Control, Power) are Direction-Controlled.
- AudioQuest "48" HDMI cables up through 5m have the bandwidth required for video with resolutions up to 10K, resolutions/refresh rates up to 8K/60 and 4K/120.
- All generations of HDMI cable are fully compatible with all previous hardware — It's the new HDMI hardware capabilities that require the latest cables.



Model		BlueBerry	Pearl 48	Forest 48	Cinnamon 48	Carbon 48	Cherry Cola	Vodka 48	Vodka eARC
18 Gbps or 48 Gbps		18Gbps 4K-8K	48Gbps 8K-10K	48Gbps 8K-10K	48Gbps 8K-10K	48Gbps 8K-10K	18Gbps 4K-8K	48Gbps 8K-10K	48Gbps 8K-10K
A/V Conductor		Solid Long-Grain Copper (LGC)		0.5% Silver	1.25% Silver	5% Silver	Fused Silica (Quartz)	10% Silver	0.5% Silver
eARC Conductor		Solid Long-Grain Copper (LGC)		0.5% Silver	1.25% Silver	5% Silver	0.5% Silver	10% Silver	10% Silver
Ground Reference		Tinned Copper			0.5% Silver	1.25% Silver	Tinned Copper	5% Silver	5% Silver eARC
Noise-Dissipation		All 19 Conductors Direction-Controlled			Metal-Layer + Direction	Carbon + Metal + Direction	Carbon + Galvanic Isolation	Carbon + Metal + Direction	
Jacket 0.75-2.25m		CMG (CL3/FT4)			Red Braid	Carbon Braid	N/A	Blue Braid	Blue Braid
Jacket 3.0m +		CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail	Retail	Retail
0.75m	2' 6"	29.95	39.95	69.95	119.95	199.95	-	399.95	159.95
1.5m	5' 0"	35.95	49.95	89.95	159.95	259.95	-	499.95	199.95
2.25m	7' 6"	42.95	59.95	109.95	189.95	319.95	-	599.95	239.95
3m	10' 0"	49.95	69.95	129.95	229.95	379.95	-	699.95	279.95
5m	16' 5"	99.95	169.95	259.95	399.95	-	699.95	-	-
All Models are 18Gbps 4K-8K for Lengths 8m and Longer									
8m	26' 2"	-	164.95	259.95	-	-	-	-	-
10m	33' 0"	-	239.95	349.95	-	-	799.95	-	-
12.5m	41' 0"	-	299.95	449.95	-	-	-	-	-
15m	50' 0"	-	399.95	-	-	-	899.95	-	-
20m	66' 0"	-	-	-	-	-	999.95	-	-
25m	82' 0"	-	-	-	-	-	1,099.95	-	-
30m	100' 0"	-	-	-	-	-	1,199.95	-	-




## HDMI A/V Cables: 18Gbps, 48Gbps, and eARC-Priority: Carbon 48 to Dragon eARC (4 more models on previous page)

- All models use Solid Signal and Ground-Reference Conductors.
- All 19 conductors (A/V, eARC, Ground-Reference Drains, Control, Power) are Direction-Controlled.
- AudioQuest "48" HDMI cables up through 5m have the bandwidth required for video with resolutions up to 10K, resolutions/refresh rates up to 8K/60 and 4K/120.
- All generations of HDMI cable are fully compatible with all previous hardware — It's the new HDMI hardware capabilities that require the latest cables.




Model		Carbon 48	Cherry Cola	Vodka 48	Vodka eARC	ThunderBird 48	ThunderBird eARC	FireBird 48 ● 72v DBS	Dragon 48 ● 72v DBS	Dragon eARC ● 72v DBS
<b>18 Gbps or 48 Gbps</b>		48Gbps 8K-10K	18Gbps 4K-8K	48Gbps 8K-10K	48Gbps 8K-10K	48Gbps 8K-10K	48Gbps 8K-10K	48Gbps 8K-10K	48Gbps 8K-10K	48Gbps 8K-10K
<b>A/V Conductor</b>		5% Silver	Fused Silica (Quartz)	10% Silver	0.5% Silver	10% Silver	0.5% Silver	100% PSS Silver	100% PSS Silver	0.5% Silver
<b>eARC Conductor</b>		5% Silver	0.5% Silver	10% Silver	10% Silver	10% Silver	10% Silver	100% PSS Silver	100% PSS Silver	100% PSS Silver
<b>Ground Reference</b>		1.25% Silver	Tinned Copper	5% Silver	5% Silver eARC	10% Silver	10% Silver eARC	10% Silver	100% PSS Silver	100% PSS Silver eARC
<b>Noise-Dissipation</b>		Carbon + Metal + Direction	Carbon + Galvanic Isolation	Carbon + Metal + Direction		Graphene + Global Carbon + Direction		72v DBS, Graphene + Global Carbon + Direction		
<b>Jacket 0.75-2.25m</b>		Carbon Braid	N/A	Blue Braid	Blue Braid	Blue Braid	Dark Blue Braid	Red Braid	Black Braid	Black Braid
<b>Jacket 3.0m +</b>		CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)	CMG (CL3/FT4)
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail	Retail	Retail	Retail
0.75m	2' 6"	199.95	-	399.95	159.95	699.95	349.95	1,299.95	2,199.95	899.95
1.5m	5' 0"	259.95	-	499.95	199.95	849.95	419.95	1,699.95	2,799.95	1,199.95
2.25m	7' 6"	319.95	-	599.95	239.95	999.95	489.95	2,099.95	3,399.95	1,499.95
3m	10' 0"	379.95	-	699.95	279.95	1,149.95	559.95	2,499.95	3,999.95	1,799.95
5m	16' 5"	-	699.95	-	-	-	-	-	-	-
All Models are 18Gbps 4K-8K for Lengths 8m and Longer										
10m	33' 0"	-	799.95	-	-	-	-	-	-	-
15m	50' 0"	-	899.95	-	-	-	-	-	-	-
20m	66' 0"	-	999.95	-	-	-	-	-	-	-
25m	82' 0"	-	1,099.95	-	-	-	-	-	-	-
30m	100' 0"	-	1,199.95	-	-	-	-	-	-	-

## HDMI Accessories



**HDMI 90°/W Adaptor**  
Wide Side [W]  
Right Angle Bend

**Retail: 19.95**




**HDMI 90°/N Adaptor**  
Narrow Side [N]  
Right Angle Bend

**Retail: 19.95**



**HDMI 90° NU/R Flat Adaptor**  
Narrow Up [NU]  
Bends Right

**Retail: 19.95**



**HDMI 90° NU/L Flat Adaptor**  
Narrow Up [NU]  
Bends Left

**Retail: 19.95**



**HDMI A ↔ C Adaptor**  
Standard [Type A] to  
Mini [Type C]

**Retail: 19.95**



**HDMI A ↔ D Adaptor**  
Standard [Type A] to  
Micro [Type D]

**Retail: 19.95**




**HDMI A → C/D Adaptor**  
Standard [Type A] to Mini [C]  
and Micro [D]

**Retail: 19.95**



**HDMI A ↔ A Coupler**  
Female HDMI to Female  
HDMI

**Retail: 19.95**



**Mini Display Port to  
HDMI 4K Adaptor**

**Retail: 36.95**



**HDMI-IN > DVI-OUT  
Adaptor**

F-HDMI to M-DVI

**Retail: 34.95**



**DVI-IN > HDMI-OUT  
Adaptor**

F-DVI to M-HDMI

**Retail: 34.95**

Certain HDMI Adaptors are also sold in Installer Packs. See page 57.

# Digital-Audio Interconnect Cables

## *Perfect Sound Forever?*

That bold statement introduced CD players to the world back in 1983. Those claiming perfection believed ones and zeros to be so beyond reproach that traditional concerns about the integrity of the playback system had become irrelevant overnight. But the CD wasn't close to perfect. Those who listened quickly figured out that the equipment and cables in the audio system mattered every bit as much as they had in the analog era.

However, to this day, stating the truth in public that digital-audio cables can make minor to even staggering differences in an audio system's performance is like yelling, "food fight" in a crowded cafeteria—you'd better get ready to duck because there will be incoming.

Yet, the same kind of music lovers and listeners who heard the CD for what it is also know that soul-satisfying digital-audio playback requires the best digital-audio cables. And the best cables reduce the most noise and distortion.

























Today, there are more ways to consume digital audio than ever. Many gave up silver discs for the convenience of inferior-sounding compressed downloads, and now we've seemingly got the best of both convenience and performance: We are able to stream high-res files to our phones and mobile devices and into our homes.

AudioQuest's digital-audio cables employ all of our proven techniques for minimizing noise and distortion: better metals, better geometry, better dielectric, Dielectric-Bias System (DBS), Noise-Dissipation, Direction-Controlled Conductors, and other ingredients needed for optimizing each specific application.

The digital future is brighter and more beautiful sounding than ever...*if* your digital-audio cables are capable of treating fragile audio data as it deserves to be treated—that is, with the love and respect reserved for music.

















# Digital-Audio Interconnects: USB Cables

USB A						
USB B						
USB C	A - B	A - B	A - B	A - B	A - B	A - B
Micro B 2.0						
Micro B 3.0	A - Micro B 2.0	A - Micro B 2.0	A - Micro B 2.0	A - Micro B 2.0	A - Micro B 2.0	A - Micro B 2.0
Lightning						
	A - Micro B 2.0	A - Micro B 2.0	A - Micro B 2.0	A - Micro B 2.0	A - Micro B 2.0	A - Micro B 2.0
	3.0 A - Micro B 3.0	3.0 A - Micro B 3.0	3.0 A - Micro B 3.0	3.0 A - Micro B 3.0	3.0 A - Micro B 3.0	3.0 A - Micro B 3.0
	A - Lightning	A - Lightning	A - Lightning	A - Lightning	A - Lightning	A - Lightning
	C - Lightning	C - Lightning	C - Lightning	C - Lightning	C - Lightning	C - Lightning

Model		Pearl	Forest	Cinnamon	Carbon	Coffee 72v DBS	Diamond 72v DBS
Metal (USB A-B)		Solid Long-Grain Copper (LGC)	0.5% Silver, Solid	1.25% Silver, Solid	5% Silver, Solid	10% Silver, Solid	100% Perfect-Surface Silver (PSS), Solid
Metal (All Other Versions)		Long-Grain Copper (LGC) Semi-Solid Concentric	0.5% Silver Semi-Solid Concentric	1.25% Silver Semi-Solid Concentric	5% Silver Semi-Solid Concentric	N/A	100% Perfect-Surface Silver (PSS), Solid
Dielectric		Hard-Cell Foam					
Noise-Dissipation		Metal-Layer Noise-Dissipation			Carbon-Based Noise-Dissipation for USB A - B and USB 3.0 A - 3.0 Micro		
Jacket		Black PVC with White Stripes	Black PVC with Green Stripes	USB A-B: Red/Black Braid All others: Black PVC with Red Stripes	Gray/Black Braid	Brown/Black Braid	USB A-B: Silver/Black Braid All others: Black PVC with Silver Stripes
Available Configurations		USB A - B USB A - Micro B	USB A - B USB A - C USB A - Micro B 2.0 USB A - Lightning USB 3.0 A - Micro B 3.0 USB B - C USB C - C USB C - Lightning	USB A - B USB A - C USB A - Micro B 2.0 USB A - Lightning USB 3.0 A - Micro B 3.0 USB B - C USB C - C USB C - Lightning	USB A - B USB A - C USB A - Micro B 2.0 USB A - Lightning USB 3.0 A - Micro B 3.0 USB B - C USB C - C USB C - Lightning	USB A - B	USB A - B USB A - C USB A - Micro B 2.0 USB A - Lightning USB 3.0 A - Micro B 3.0 USB B - C USB C - C USB C - Lightning
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
0.75m	2' 5"	39.95	64.95	89.95	169.95	369.95	649.95
1.5m	4' 11"	49.95	79.95	109.95	219.95	449.95	799.95
3m	9' 10"	69.95	109.95	149.95	319.95	599.95	1,099.95
5m	16' 4"	99.95	-	199.95	449.95	799.95	1,499.95



## USB Connector Applications

<p><b>USB A</b></p>   <p>For all devices that use the original USB connection.</p>	<p><b>USB B</b></p>   <p>Typically for use with computer peripherals, such as hard drives and network devices, as well as digital-audio components, including DACs and streamers.</p>	<p><b>USB C</b></p>   <p>Typically for use with newer devices, including desktops, laptops, smartphones, tablets, game consoles, hard drives, and more.</p>	<p><b>Micro B 2.0</b></p>   <p>Typically for use with compact and mobile devices, including Android smartphones and computer peripherals.</p>	<p><b>USB 3.0 A</b></p>   <p>SuperSpeed USB for transferring data at up to 5Gbps.</p>	<p><b>Micro B 3.0</b></p>   <p>SuperSpeed USB for transferring data at up to 5Gbps, typically for use with smartphones, tablets, and computer peripherals.</p>	<p><b>Lightning</b></p>   <p>For use with Apple devices, including iPhones and iPads.</p>
--	---	---	---	---	--	---

## USB Accessories



**USB A → C Adaptor**

**Retail: 21.95**



**USB B ↔ Micro B 2.0 Adaptor**

**Retail: 16.95**



**USB Mini B ↔ Micro B 2.0 Adaptor**

**Retail: 16.95**




**JitterBug**

USB Data and Power Noise Filter

**Retail: 69.95**



# Digital-Audio Interconnects: Optical Cables



Model		Pearl	Forest	Cinnamon	Carbon	Vodka	Diamond
Conductors		Low-Dispersion Fiber		Lower-Dispersion Higher-Purity Fiber	19 Narrow-Aperture Synthetic Fibers	217 Narrow-Aperture Synthetic Fibers	300 Narrow-Aperture Quartz (Fused-Silica) Fibers
Jacket		Black with Gray Stripes In-Wall Rated PVC	0.75m and 1.5m: Green/Black Braid 3.0m and Longer: In-Wall Rated PVC	0.75m and 1.5m: Red/Black Braid 3.0m and Longer: In-Wall Rated PVC	Gray/Black Braid	Blue/Black Braid	Silver/Black Braid
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
0.75m	2' 5"	29.95	49.95	79.95	129.95	219.95	499.95
1.5m	4' 11"	35.95	59.95	99.95	159.95	299.95	-
3m	9' 10"	49.95	89.95	139.95	219.95	459.95	-
5m	16' 4"	69.95	129.95	199.95	299.95	689.95	-
8m	26' 2"	99.95	179.95	289.95	-	-	-
12m	39' 4"	139.95	259.95	409.95	-	-	-
16m	52' 5"	179.95	339.95	529.95	-	-	-

Optical Pearl, Forest, and Cinnamon are also sold in Installer Packs. See page 56.

## Optical Accessory



Optical Mini Adaptor  
Retail: 16.95

## Digital-Audio Interconnects: Digital Coax Cables



Model		Forest	Cinnamon	Carbon	Coffee 72v DBS	Diamond 72v DBS	Wild 72v DBS	WEL Signature 72v DBS
Metal		0.5% Silver	1.25% Silver	5% Silver	10% Silver	100% Perfect-Surface Silver (PSS)		
Conductor		Solid Conductors						
Gauge		24 AWG		21 AWG				
Dielectric		Hard-Cell Foam						
Noise-Dissipation		Metal-Layer Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation			Carbon-Based Multi-Layer Noise-Dissipation, 2 x EMI Absorption	Carbon-Based Multi-Layer Noise-Dissipation, 3 x EMI Absorption
Jacket		Black PVC with Green Stripes	Red/Black Braid	Black/Dark Gray Braid	Brown/Black Braid	Silver/Black Braid	Navy Blue Braid	Black Braid
Terminations		Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper	Cold-Welded, Hanging-Silver Directly Over Pure Red Copper		Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper	
Shield		Foil + Tinned Braid	Foil + Silver-Plated Braid		Silver-Plated Braid		Copper Foil + 100% PSS-Silver Spiral	
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail	Retail
0.75m	2' 5"	34.95	79.95	217.95	549.95	1,074.95	2,255.00	3,740.00
1.0m	3' 4"	–	–	219.95	599.95	1,199.95	2,475.00	4,125.00
1.5m	4' 11"	39.95	99.95	269.95	699.95	1,449.95	2,915.00	4,895.00
2.0m	6' 7"	–	–	319.95	–	1,699.95	3,355.00	5,665.00
3m	9' 10"	49.95	139.95	369.95	999.95	2,199.95	4,235.00	7,205.00
5m	16' 4"	69.95	199.95	469.95	1,399.95	3,199.95	5,995.00	10,285.00
Other prepared lengths use formula:		–	–	100.00/m + 119.95	140.00/m + 359.95	500.00/m + 699.95	880.00/m + 1,595.00	1,540.00/m + 2,585.00

Digital Coax Forest is also sold in Installer Packs. See page 57.

## Digital Coax Accessory



### RCA > BNC

Female RCA to Male BNC Adaptor

**Retail: 9.95**

## Digital-Audio Interconnects: AES/EBU Cables



Model		Carbon	Diamond ● 72v DBS	Wild ● 72v DBS	WEL Signature ● 72v DBS
Metal		5% Silver	100% Perfect-Surface Silver (PSS)		
Conductor		Solid Conductors			
Gauge		24 AWG	21 AWG		
Dielectric		Hard-Cell Foam			
Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation, 2 x EMI Absorption	Carbon-Based Multi-Layer Noise-Dissipation, 3 x EMI Absorption
Jacket		Dark Gray/Black Braid	Silver/Black Braid	Navy Blue Braid	Black Braid
Termination		Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper	Cold-Welded, Hanging-Silver Directly Over Pure Red Copper	Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper	
Shield		Foil + Tinned Braid		Foil + Silver-Plated Spiral	
Meters	Feet	Retail	Retail	Retail	Retail
0.75m	2' 5"	217.95	1,074.95	2,255.00	3,740.00
1.0m	3' 4"	219.95	1,199.95	2,475.00	4,125.00
1.5m	4' 11"	269.95	1,449.95	2,915.00	4,895.00
2.0m	6' 7"	319.95	1,699.95	3,355.00	5,665.00
3.0m	9' 10"	369.95	2,199.95	4,235.00	7,205.00
5.0m	16' 4"	469.95	3,199.95	5,995.00	10,285.00
Other prepared lengths use formula:		100.00/m + 119.95	500.00/m + 699.95	880.00/m + 1,595.00	1,540.00/m + 2,585.00

## Digital-Audio Interconnects: Ethernet Cables (RJ/E)



Model		Pearl	Forest	Cinnamon	Vodka	Diamond 72v DBS
Metal		Long-Grain Copper (LGC)	0.5% Silver	1.25% Silver	10% Silver	100% Perfect-Surface Silver (PSS)
Conductor		Solid Conductors				
Dielectric		Geometry Stabilizing Solid High-Density Polyethylene				
Noise-Dissipation		Direction-Controlled Conductors			Carbon-Based Noise-Dissipation	
Jacket		CMG (CL3 & FT4) Rated Black PVC with Gray Stripes	CMG (CL3 & FT4) Rated Black PVC with Green Stripes	Up to 3.0m: Red/Black Braid 5.0m and Longer: CMG (CL3 & FT4) Rated Black PVC with Red Stripes	Up to 3.0m: Blue/Black Braid 5.0m and Longer: CMG (CL3 & FT4) Rated Black PVC with Blue Stripes	Silver/Black Braid
Termination		Gold-Plated Nickel Connectors with 100% Shield Coverage			Precision-Made Low-Loss Ultra-Wide Bandwidth Telegärtner Connectors with 100% Shield Coverage and Strain Relief	
Meters	Feet	Retail	Retail	Retail	Retail	Retail
0.75m	2' 5"	39.95	59.95	99.95	449.95	999.95
1.5m	4' 11"	49.95	79.95	119.95	599.95	1,599.95
3m	9' 10"	69.95	109.95	159.95	849.95	2,899.95
5m	16' 4"	99.95	149.95	209.95	1,199.95	4,699.95
8m	26' 2"	139.95	209.95	289.95	1,699.95	7,399.95
12m	39' 4"	199.95	289.95	389.95	2,349.95	10,999.95

Ethernet (RJ/E) Pearl, Forest and Cinnamon are also sold in Installer Packs. See page 57.

## Accessories



**Enhanced Performance  
(72v) Dielectric-Bias Pack - BLACK Model**  
with built-in radio-frequency noise-trap

**Each**  
**Retail: 89.95**



**Maximum Performance  
(72v) Dielectric-Bias Pack - CARBON Model**  
with Level-1 pre-formed radio-frequency noise-trap

**Each**  
**Retail: 139.95**



**SorboGel Q-Feet System**  
Set of 4 energy-absorbing feet  
each with a "tray" which improves  
performance and protects furniture.  
Each foot supports up to 4 kg. (8 lbs.).

**Retail: 129.95**



**CleanScreen Kit**  
5 oz. (150 ml.) Bottle + 0.3 oz. (10 ml.)  
Spray + Retractable Brush

**Retail: 22.95**



**CleanScreen Pack**  
6 oz. (200 ml.) Bottle + Microfiber  
Cleaning Cloth

**Retail: 17.95**



**Sorbothane Self-Stick Sheet**  
6" x 6" x 0.10" sheet can be cut to size to  
damp anything, especially effective on top  
surface of speaker stands.

**Retail: 49.95**



## Accessories



**RCA <math>\leftrightarrow</math> BNC Adaptor**  
Female RCA to/from Male BNC  
**Retail: 9.95**



**F > RCA Male Adaptor**  
Female RCA to Male RCA  
**Retail: 12.95**



**F > BNC Male Adaptor**  
75Ω  
**Retail: 12.95**




**F > 2F Splitter**  
3GHz 75Ω  
**Retail: 21.95**



**F > 4F Splitter**  
3GHz 75Ω  
**Retail: 25.95**



**F <math>\leftrightarrow</math> F**  
75Ω Coupler  
**Retail: 8.95**



**F-90°**  
Male <math>\leftrightarrow</math> Female Adaptor  
**Retail: 12.95**

# Accessories

## RCA-300

Fits cables up to 7.0mm O.D.  
Gold-Plated. Requires soldering.



#300 Male  
Set of 4  
Retail: 24.95

#300 Female  
Set of 4  
Retail: 24.95

## RCA-800

Fits cables up to 9.0mm O.D.  
Direct-Silver Plated. Requires soldering.



#800 Male  
Set of 4  
Retail: 69.95

## XLR Connectors

Fits cables up to 9.0mm O.D.  
Direct-Silver Plated. Requires soldering.



#81 Male  
Pair  
Retail: 59.95

#80 Female  
Pair  
Retail: 59.95

## Right-Angle F and RCA Plugs

Fits cables up to 7.5mm O.D.  
Gold-Plated. Requires soldering.



F-90°  
Pair  
Retail: 24.95

RCA-90°  
Pair  
Retail: 24.95

## Accessories



### RJ45 Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused RJ45 inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

**Set of 4**  
**Retail: 29.95**



### USB-A Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused USB inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.


**Set of 4**  
**Retail: 29.95**



### HDMI Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused HDMI inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.


**Set of 4**  
**Retail: 29.95**



### XLR Input (Female) Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.


**Pair**  
**Retail: 39.95**



### XLR Output (Male) Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

**Pair**  
**Retail: 39.95**




### RCA Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

**Set of 10**  
**Retail: 49.95**

## Tools

All the Tools necessary to Cut, Strip, Prepare, and Terminate any AudioQuest Cable



### Cat6/6a/7 Crimper Tool and Die

Includes Cat6 and Cat 7 Die

Retail: N/A

### Cat6 Die

Also sold separately

Retail: N/A



### Rivers Interconnect Crimper Tool

Use with either AudioQuest Chicago RCA, Red River and Mackenzie RCA or XLR plugs.

Retail: N/A



### AQ Ratchet Crimper Tool

For up to 8 AWG Conductors

Retail: N/A



### Klein Crimper Tool

For connectors up to 10 AWG

Retail: N/A



### Klein Cable Cutter

Retail: N/A



### Wire Stripper/Cutter/Plier Combo Tool

Retail: N/A



### Binding-Post Wrench

Real tool-quality double-ended nut driver with metal inserts.

Fits 7/16" and 1/2" binding posts.

Retail: 17.95



### Ideal Articulated Stripper

For 8–22 AWG Conductors

Retail: N/A



### Paladin Jacket Stripper

Cleanly and easily removes the jacket on all AudioQuest Interconnect and Speaker Cables

Retail: N/A



### AQ Silver Solder

Easy to use. Clearly sounds better.



1lb. Solder

Retail: 184.00

1/4 lb. Solder

Retail: 48.00

# Instant Tool-less Connectors (ITC) for Analog-Audio, Mini-Coax, and RG6 Cables on Spools



## ITC One-Step Stripper for 18 and 24 AWG

For HD6, ITA, and ITV Cables

Retail: N/A

## 18 AWG Connectors and Cables for Video, RF, Digital, Subwoofer



**ITC-18G/RCA**  
Each  
Retail: 2.92



**ITC-18G/F**  
Each  
Retail: 1.76



**ITC-18G/BNC**  
Each  
Retail: 3.80

		HD6 Pearl	HD6 Forest	HD6 Carbon
<b>Metal</b>		Solid Conductive-Coated Copper	Solid 0.5% Silver	Solid 5% Silver
<b>Shield</b>		3-Layer Shield: Foil + 90% Braid + Foil		4-Layer Shield: Carbon-Loaded PE + Foil + 90% Braid + Foil
<b>CL3 Jacket Color Choices</b>		Dark Gray or White Stripes	Gray, Green or White Stripes	Black, Gray, or White Stripes
<b>Meters</b>	<b>Feet</b>	<b>Retail</b>	<b>Retail</b>	<b>Retail</b>
76m	250'	-	-	3.30/ft
152m	500'	0.66/ft	1.54/ft	-

## 24 AWG Connectors and Cables for Analog-Audio and Video



**ITC-24G/RCA**  
Each  
Retail: 2.92



**ITC-24G/F**  
Each  
Retail: 2.92



**ITC-24G/BNC**  
Each  
Retail: 3.80

		Audio	ITA-1/1	ITA-3/3	ITA-5/5
<b>Center Conductor Metal</b>			Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
<b>Neg. Conductor/Shield</b>			LGC HyperLitz	PSC HyperLitz	PSC+ HyperLitz
<b>CL3 Jacket</b>			Blue (Pair)	Green (Pair)	Dark Gray (Pair)
<b>Meters</b>	<b>Feet</b>	<b>Retail</b>	<b>Retail</b>	<b>Retail</b>	<b>Retail</b>
15.2m	50'	3.00/ft	-	-	-
76m	250'	3.00/ft	5.00/ft	8.00/ft	-
152m	500'	3.00/ft	-	-	-

### Color Bands for 18 and 24 AWG ITC Connectors

Silicon rubber bands fit all ITC connectors—even after they're attached to the cable—for easy cable identification. Available in bags of 20. One color per bag – no mixed colors. Available in 10 colors.

**Bag of 20**  
**Retail: 3.75**



		Video	ITV-G
<b>Center Conductor Metal</b>			Solid 1.25% Silver
<b>Neg. Conductor/Shield</b>			Foil + Tinned Braid
<b>CL3 Jacket</b>			Gray
<b>Meters</b>	<b>Feet</b>	<b>Retail</b>	<b>Retail</b>
152m	500'	0.84/ft	-




## CL3/FT4 In-Wall Rated Bulk Speaker Cables

16/2 + 14/2



16/4 + 14/4




Model		SLiP-DB 16/2	SLiP-DB 16/4	SLiP-DB 14/2	SLiP-DB 14/4	SLiP XTRM 14/2	SLiP XTRM 14/4
Metal		Semi-Solid Concentric Long-Grain Copper (LGC)				Semi-Solid True Concentric Perfect-Surface Copper (PSC) and Long-Grain Copper (LGC)	
Gauge		16 AWG	16 AWG	14 AWG			
Jacket		White PVC with Silver Stripes or Gray PVC with Red Stripes				Dark Gray PVC with Blue Stripes	
Meters	Feet	Retail	Retail	Retail	Retail	Retail	Retail
30m	100'	1.30/ft	2.05/ft	1.55/ft	2.80/ft	-	-
50m	164'	-	-	-	-	6.00/ft	12.00/ft
76m	250'	1.30/ft	2.05/ft	1.55/ft	2.80/ft	-	-
100m	328'	-	-	-	-	6.00/ft	12.00/ft
152m	500'	1.30/ft	2.05/ft	1.55/ft	2.80/ft	-	-



Model		Rocket 11	Rocket 22	Rocket 33	Rocket 44	Rocket 88
Metal		Semi-Solid True-Concentric Long-Grain Copper (LGC)	Semi-Solid True-Concentric PSC and LGC	Solid PSC and LGC	Solid PSC+ and PSC	Solid Perfect-Surface Copper+ (PSC+)
Gauge		13 AWG	12 AWG	14 AWG	13 AWG	
Geometry		Double-Spiral		Double Star-Quad		
Dielectric		PVC		Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation		No		Carbon-Based Noise-Dissipation		
Jacket		Black or White PVC	Black or White PVC	Black PVC with Red Stripes	Black PVC with Gloss Black Matte Stripes	Black PVC with Green Stripes
Single BiWire Capable		Yes				
Meters	Feet	Retail	Retail	Retail	Retail	Retail
50m	164'	4.00/ft	10.00/ft	12.50/ft	25.00/ft	35.00/ft
100m	328'	4.00/ft	10.00/ft	12.50/ft	-	-

Note: For bulk cables, retail price is listed per foot.

## Not-Rated Bulk Speaker Cables



Model		G2	X2	Q2
Metal		Semi-Solid Concentric Long-Grain Copper (LGC)		
Gauge		16 AWG	14 AWG	15 AWG
Jacket		Dark Gray PVC or Off-White PVC	Dark Gray PVC or Off-White PVC	Black PVC or White PVC
Meters	Feet	Retail	Retail	Retail
9.1m	30'	54.95	79.95	-
15.2m	50'	89.95	129.95	-
30m	100'	169.95	249.95	-
100m	328'	574.00	820.00	1,148.00

Note: G2, X2, and Q2 bulk lengths are sold in a retail box.



Model		Rocket 33	Rocket 44	Rocket 88
Metal		Solid Perfect-Surface Copper (PSC) and Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+) and Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Gauge		14 AWG	13 AWG	
Geometry		Double Star-Quad		
Dielectric		Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation		Carbon-Based Noise-Dissipation		
Jacket		Red/Black Braid	Silver/Black Braid	Green/Black Braid
Single BiWire Capable		Yes		
Meters	Feet	Retail	Retail	Retail
50m	164'	12.50/ft	25.00/ft	35.00/ft
100m	328'	12.50/ft	-	-

Note: For bulk cables, retail price is listed per foot.

# SureGrip® Speaker Connectors

Fits up to 9 AWG Speaker Cables



## SureGrip® 100 Banana

Direct-Silver or Gold over Beryllium-Copper

**Set of 8**  
**Retail: 49.95**

**Set of 12**  
**Retail: 74.95**

**Bag of 80**  
**Retail: 499.50**

**Bag of 120**  
**Retail: 749.50**



## SureGrip® 100 Multi-Spade

Direct-Silver or Gold Plating over Purple Copper

**Set of 8**  
**Retail: 49.95**

**Set of 12**  
**Retail: 74.95**

**Bag of 80**  
**Retail: 499.50**

**Bag of 120**  
**Retail: 749.50**



Allen Tool  
Included



## SureGrip® 300 Banana

Direct-Silver or Gold over Beryllium-Copper

**Set of 4**  
**Retail: 49.95**

**Tray of 40**  
**Retail: 450.00**



## SureGrip® 300 Multi-Spade

Direct-Silver or Gold Plating over Purple Copper

**Set of 4**  
**Retail: 49.95**

**Tray of 40**  
**Retail: 450.00**



Allen Tool  
Included



Black  
Labels  
Included



## 500 Series Banana or Multi-Spade

Hanging-Silver directly over pure Purple Copper or Hanging-Gold directly over pure Purple Copper. Silver or Gold.

**507** - Sized for 7 AWG (same as original 500 connector)

**509** - Sized for 9 AWG

**Set of 4**  
**Retail: 119.95**

**Set of 6**  
**Retail: 179.95**



Combination  
Allen and  
Phillips Tool  
Included



## 1000 Series Banana or Multi-Spade

Hanging-Silver directly over pure Red Copper.

**1003** - Sized for 3 AWG

**1005** - Sized for 5 AWG

**1007** - Sized for 7 AWG (same as original 1000 connector)

**1009** - Sized for 9 AWG

**Set of 4**  
**Retail: 199.95**










**Set of 6**  
**Retail: 299.95**



Combination  
Allen and  
Phillips Tool  
Included

## Spade, Pin, and Banana Connectors

Supplied with Red and Black "Boots" (except 1002)

 <p><b>1410/S 1410/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 14 AWG 3/16" Binding Post</p> <p><b>Set of 4</b> <b>Retail: 12.50</b></p>	 <p><b>1010/S 1010/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 10 AWG 3/16" Binding Post</p> <p><b>Set of 4</b> <b>Retail: 12.50</b></p>	 <p><b>1414/S 1414/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 14 AWG 1/4" Binding Post</p> <p><b>Set of 4</b> <b>Retail: 12.50</b></p>
 <p><b>1014/S 1014/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 14 AWG 1/4" Binding Post</p> <p><b>Set of 4</b> <b>Retail: 12.50</b></p>	 <p><b>1056/S 1056/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 10 AWG 5/16" Binding Post</p> <p><b>Set of 4</b> <b>Retail: 12.50</b></p>	 <p><b>P10M/S P10M/G</b> Hanging-Silver and Hanging Gold Up to 10 AWG 1/4" and 5/16" Binding Post</p> <p><b>Set of 4</b> <b>Retail: 15.00</b></p>
 <p><b>BP10/S BP10/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 10 AWG Bendable Pin Fits Almost Everything</p> <p><b>Set of 4</b> <b>Retail: 12.50</b></p>	 <p><b>Crimp-BFA/S Crimp-BFA/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 9 AWG Standard Banana Jack</p> <p><b>Set of 4</b> <b>Retail: 20.00</b></p>	 <p><b>1002/S 1002/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 9 AWG Standard Banana Jack</p> <p><b>Set of 4</b> <b>Retail: 30.00</b></p>

## Termination "Pants" for Speaker Cables



	Full-Range	Single BiWire
Model	Retail	Retail
Rocket 11 Pants set/4	12.95	12.95
Rocket 22 Pants set/4	12.95	12.95
Rocket 33 Pants set/4	12.95	12.95
Rocket 44 Pants set/4	12.95	12.95
Rocket 88 Pants set/4	12.95	12.95

# CL3/FT4 In-Wall Rated Analog-Audio Bulk Cables



Model		Chicago	Red River	Mackenzie
Metal		Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Geometry		Double-Balanced	Triple-Balanced (Separate Ground-Reference Conductor)	
Dielectric		Hard-Cell Foam		
Noise-Dissipation		Metal-Layer Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation
Jacket		Green/Black Braid or Black PVC with Green Stripes	Red/Black Braid or Black PVC with Red Stripes	Brown/Black Braid or Black PVC with Brown Stripes
Meters	Feet	Retail	Retail	Retail
50m	164'	-	-	25.00/m
100m	328'	5.00/m	10.00/m	-

Note: For bulk cables, retail price is listed per meter.

## Field Termination Connectors

To download Chicago, Red River, and Mackenzie cable termination manuals, go to <https://www.audioquest.com/custom-install/manuals>



### Rivers Interconnect Crimper Tool

Use with either AudioQuest Chicago RCA, Red River and Mackenzie RCA or XLR plugs.

Retail: N/A



### Chicago RCA

Cold-Welded, Gold-Plated

Set of 4  
Retail: 69.95



### Red River RCA

Cold-Welded, Gold-Plated

Set of 4  
Retail: 69.95



### Red River XLR

Cold-Welded, Gold-Plated

Set of 4  
Retail: 129.95



### Mackenzie RCA

Cold-Welded, Hanging-Silver directly over pure Purple Copper

Set of 4  
Retail: 99.95




### Mackenzie XLR

Cold-Welded, Hanging-Silver directly over pure Purple Copper

Set of 4  
Retail: 149.95



## CAT6 and CAT7 Ethernet Bulk Cables



		CAT 600 DCP	CAT 600 FMJ	CAT 700 Pearl	CAT 700 Forest	CAT 700 Carbon
<b>Metal</b>		Solid Long-Grain Copper (LGC)			Solid 0.5% Silver	Solid 5% Silver
<b>Shield</b>		N/A	Overall Shield	Overall Shield and Individual Pairs		
<b>Gauge</b>		23 AWG				
<b>Dielectric</b>		Solid High-Density Polyethylene			Hard-Cell Foam	
<b>Jacket</b>		CMG (CL3/FT4) Rated White PVC with Black Stripes or Dark Gray PVC with White Stripes	CMG (CL3/FT4) Rated White or Black PVC with Blue Stripes	CMG (CL3/FT4) Rated White or Medium Gray PVC with Yellow PVC	CMG (CL3/FT4) Rated White PVC with Green Stripes	CMG (CL3/FT4) Rated Dark Gray PVC with Black Stripes
<b>Meters</b>	<b>Feet</b>	<b>Retail</b>	<b>Retail</b>	<b>Retail</b>	<b>Retail</b>	<b>Retail</b>
152m	500'	-	1.25/ft	2.25/ft	3.95/ft	16.00/ft
304m	1000'	0.95/ft	-	-	-	-

Note: For bulk cables, retail price is listed per foot.

### CAT6/7 Connectors

To download CAT600 and CAT700 cable termination manuals, go to <https://www.audioquest.com/custom-install/manuals>



Load Bar Connector Boot

#### CAT600 DCP Connectors

Fits all standard Cat6 cables

Each  
Retail: 1.60



Load Bar Connector Boot

#### CAT600 FMJ Connectors

Fits all standard shielded Cat6 cables

Each  
Retail: 3.15



Load Bar Connector Boot

#### CAT700 Connectors

Fits all standard Cat6a/Cat7 cables

Each  
Retail: 3.25



#### CAT700 Telegärtner Male Connector

Fits all standard Cat6a/Cat7 cables

Each  
Retail: 25.00


# Installer Packs

## Cables and Accessories in Installer-Friendly bags instead of hanging boxes.

Installer Packs provide exactly what you need to get the job done. Each Pack includes a number of high-value, high-performance AudioQuest pieces and comes with convenient integrated labels that you can peel off and place on your invoice. No retail packaging, no garbage in your truck, no excess waste or cost.


C7

C13



AC Power Cables


Packs of 5



		NRG-X2	NRG-X3
Meters	Feet	Retail Each	Retail Each
0.3m	1'	54.95	65.95
0.6m	2'	58.95	71.95
0.9m	3'	63.95	77.95

AC Power Cables

Single Packs



		NRG-Y2	NRG-Y3	NRG-Z2	NRG-Z3
Meters	Feet	Retail	Retail	Retail	Retail
0.3m	1'	87.95	108.95	154.95	163.95
0.6m	2'	94.95	117.95	169.95	187.95
1m	3' 3"	104.95	129.95	189.95	199.95

AC Power C7 90° Adaptors


Packs of 10



E = Equal radius	U = Unequal radius
Retail Each	Retail Each
17.95	17.95

Analog-Audio Interconnect Cables

Packs of 5



		Tower	Golden Gate	Alpha-Snake
Meters	Feet	Retail Each	Retail Each	Retail Each
0.6m	1' 11"	27.95	74.95	18.95
1m	3' 3"	29.95	79.95	21.95
2m	6' 6"	35.95	94.95	27.95
3m	9' 10"	41.95	109.95	32.95

Analog-Audio FLX-X RCA Splitters

Packs of 5



M22F	F22M
Retail Each	Retail Each
16.95	16.95

Optical Cables

Packs of 5



		Pearl	Forest	Cinnamon
Meters	Feet	Retail Each	Retail Each	Retail Each
0.75m	2' 5"	29.95	49.95	79.95
1.5m	4' 11"	35.95	59.95	99.95
3m	9' 10"	49.95	89.95	139.95

Available in Full-to-Full configurations only.

## HDMI Cables

Packs of 5




		BlueBerry	Pearl 48	Forest 48
Meters	Feet	Retail Each	Retail Each	Retail Each
0.5m	1' 7"	27.95	36.95	63.95
0.75m	2' 6"	29.95	39.95	69.95
1.5m	5' 0"	35.95	49.95	89.95
2.25m	7' 6"	42.95	59.95	109.95
3m	10' 0"	49.95	69.95	129.95
5m	16' 5"	99.95	169.95	259.95

BlueBerry meets the 18G bandwidth required for video up to 8K/30;  
Pearl 48 and Forest 48 extend this capability up to 8K/60 and 4K/120.

## HDMI Adaptors

Packs of 5



HDMI 90°/W	HDMI 90°/N	HDMI 90° NU/R	HDMI 90° NU/L	HDMI Coupler
Retail Each	Retail Each	Retail Each	Retail Each	Retail Each
19.95	19.95	19.95	19.95	19.95

## Ethernet Cables (RJ/E)

Packs of 5



		Pearl	Forest	Cinnamon
Meters	Feet	Retail Each	Retail Each	Retail Each
0.2m	0' 8"	N/A	N/A	N/A
0.5m	1' 7"	N/A	N/A	N/A
0.75m	2' 5"	39.95	59.95	99.95
1.5m	4' 11"	49.95	79.95	119.95
3m	9' 10"	69.95	109.95	159.95
5m	16' 4"	99.95	149.95	209.95

## Digital Coax Cables

Packs of 5



		Forest
Meters	Feet	Retail Each
0.75m	2' 5"	34.95
1.5m	4' 11"	39.95
3m	9' 10"	49.95
5m	16' 4"	69.95

## AudioQuest Branded Point of Purchase (POP) Materials



**Slat Wall Sign**

**Retail:** N/A



**Acrylic Wall Sign - Red**

**Retail:** N/A



**Acrylic Wall Sign - Black**

**Retail:** N/A



**Tent Card**

**Retail:** N/A



**Window Sticker**

**Retail:** N/A



**Individual Spool Holder**

Rugged metal Spool holder will hold almost all AQ Spools. Supplied with slat wall brackets.

**Retail:** N/A



**In-Store Display Rack**

Spool holder sold separately.  
Dimensions: 76"(h) x 35"(w) x 13"(d)

**Retail:** N/A



**Standalone Display Rack**

**Retail:** N/A

## AudioQuest Branded Promotional Items



### Polo Shirt

Our versatile polo shirt looks great with anything. Classic black with a discreet silver AudioQuest logo, it features moisture-wicking technology and dries quickly. Look cool, stay cool. Men's sizes: S-2XL; Women's sizes: S-XL.

**Retail: 60.00**



### T-Shirt

Our classic crewneck t-shirt is made from 100% lightweight, preshrunk cotton for a perfect fit that's as attractive as it is comfortable. Our t-shirt features a tasteful red AudioQuest logo against a solid black background. Made by Port and Company. Sizes: S-3XL

**Retail: 20.00**



### Hooded Jacket

Our ultra-comfortable jacket features a three-panel hood with drawcords and toggles for a warm, snug fit. The zippered front, open hand pockets, and zippered sleeve pocket add convenience and style. The colorblocked gray-and-black design highlights a subtle AudioQuest logo in silver. Sizes: S-3XL

**Retail: 75.00**



### Chino Washed Cotton Baseball Cap

Our baseball cap has a durable 8-stitch bill for a long-lasting, contoured shape. The Velcro fastener provides easy adjustments for a perfect fit. Available in black with red AudioQuest logo and trim, this cap looks and feels great. One size fits all.

**Retail: 19.95**



### Beanie

Red, gray, and black, with our classic red AudioQuest logo, our stylish beanie is made from super-stretch, fine-gauge acrylic, for a warm, snug fit over your head and ears. The perfect accessory for those cooler days. One size fits all.

**Retail: 19.95**



### Pen

Take note: With its discreet AQ logo, piano-black lacquered tube, and chrome accents, this ballpoint pen has the looks to match the quality of your prose. Keep it in your AudioQuest backpack and take it with you wherever you go.

**Retail: 24.95**



### Tumbler

With its double-wall vacuum construction and copper insulation, this 14oz tumbler keeps drinks hot for 8 hours or cold for a full 24. The external design provides a comfortable gripping surface and prevents condensation from forming on the outside of the tumbler. Perfect for use while on the go, the push-on lid with thumb slider affords mess-free sipping.

**Retail: 25.00**



### Water Bottle

Made by Specialized, this 26-ounce leak-proof water bottle has a self-sealing valve and features easy-to-squeeze BPA-free, recyclable plastic. Our distinct Wolves artwork is printed with a non-solvent based, CPSC-approved ink. Just aim and squeeze for clean, pure refreshment.

**Retail: 12.95**



## AudioQuest Branded Promotional Items



### License Plate

It's all about the journey. Take your love for AudioQuest on the road with this license-plate frame. The clean, simple design features our red AudioQuest logo and "Experience the Difference" mantra set against a black background—perfect for any ride. Vroom!

**Retail: 6.00**



### Backpack

Available in black with our black AudioQuest and Four Elements logos. Accommodates laptops with 13" screens and tablets. Made of nylon.

**Retail: 19.95**



### Padded Backpack

Do no harm with our padded backpack. It features a discreet front-panel zipper, multiple internal pockets, and mesh side pockets for drinks and other items. A padded laptop insert safely accommodates screens up to 15". Mesh backing and straps are durable and comfortable, making the backpack as easy to carry as it is to wear.

**Retail: 29.95**



### Tote Bag

This super-durable tote bag is made of water-repellent polyester and has a long strap that fits easily over a shoulder. Measuring 38cm x 36.5cm (15in x 14.4in), its slim pocket is perfect for carrying AudioQuest merchandise—pens, tumblers, price books—and even an LP or two! The simple black-on-black design features a subtly stylish AQ logo.

**Retail: 20.00**

# Index

## A

### AC Power Cables

Blizzard	10
Blizard XTRM	10
Dragon (High-Current)	11
Dragon (Source)	11
FireBird (High-Current)	11
FireBird (Source)	11
Hurricane (High-Current)	11
Hurricane (Source)	11
Mistral AC Power Bulk Cable	10
Mistral IEC C-13 Plug	10
Mistral IEC C-19 Plug	10
Mistral Wall Plug	10
Monsoon	10
Monsoon XTRM	10
NRG-X2	9
See also Installer Packs, pg. 54	
NRG-X3	9
See also Installer Packs, pg. 54	
NRG-Y2	9
See also Installer Packs, pg. 54	
NRG-Y3	9
See also Installer Packs, pg. 54	
NRG-Z2	9
See also Installer Packs, pg. 54	
NRG-Z3	9
See also Installer Packs, pg. 54	
Silver Cloud	10
Silver Cloud XTRM	10
Thunder (High-Current)	11
Tornado (High-Current)	11
Tornado (Source)	11

### AC Power Conditioners

Niagara 1200	7
Niagara 3000	7
Niagara 5000	7
Niagara 7000	7
PowerQuest 2	7
PowerQuest 3	7

### Acrylic Wall Sign - Black, Red

### Adaptors

C7 90° Adaptor Kit	12
See also Installer Packs, pg. 54	
DragonTail A to C Adaptor	5
DragonTail USB A 2.0 Extender	5
DragonTail USB A to Micro Adaptor	5
DVI-IN to HDMI-OUT Adaptor	34

F-90° Adaptor	43
FLX-Mini/RCA Adaptor	27
F to BNC Male Adaptor	43
F to RCA Male Adaptor	43
Hard Mini/RCA Adaptor	27
HDMI 90°/W Adaptor	34
See also Installer Packs, pg. 55	
HDMI 90°/N Adaptor	34
See also Installer Packs, pg. 55	
HDMI 90° NU/L Flat Adaptor	34
See also Installer Packs, pg. 55	
HDMI 90° NU/R Flat Adaptor	34
See also Installer Packs, pg. 55	
HDMI A - A Coupler	34
HDMI A - C Adaptor	34
HDMI A - D Adaptor	34
HDMI A to C/D Adaptor	34
HDMI-IN to DVI-OUT Adaptor	34
IEC>3US Power Strip	12
IEC90/1	12
IEC90/2	12
M21F-90 Adaptor	27
Mini Display Port to HDMI 4K Adaptor	34
Optical Mini Adaptor	38
RCA - BNC Adaptor	43
RCA to BNC	39
USB A to C Adaptor	37
USB B - Micro B 2.0 Adaptor	37
USB Mini B - Micro B 2.0 Adaptor	37

### AES/EBU Cables

Carbon	40
Diamond	40
WEL Signature	40
Wild	40

### Analog-Audio Interconnect Cables

Alpha-Snake	
See Installer Packs, pg. 54	
Angel	25
Big Sur	25
Chicago	26
See also Bulk Cables, pg. 52	
Earth	26
Evergreen	25
Fire	26
Golden Gate	25
See also Installer Packs, pg. 54	
Mackenzie	26
See also Bulk Cables, pg. 52	
Red River	26
See also Bulk Cables, pg. 52	

Sydney	25
Tower	25
See also Installer Packs, pg. 54	
Victoria	25
Water	26
Wind	26
Yosemite	25
Yukon	26

## B

Backpack	58
Backpack, Padded	58
Baseball Cap	57
Beanie	57
BiWire Jumpers	
BiWire Jumpers-G	23
BiWire Jumpers-S	23
Jupiter (PSS)	23
Saturn (PSC+)	23

### Bulk Cables

CAT600 DCP	53
CAT600 FMJ	53
CAT700 Carbon	53
CAT700 Forest	53
CAT700 Pearl	53
Chicago	52
G2	49
HD6 Carbon	47
HD6 Forest	47
HD6 Pearl	47
ITA-1/1	47
ITA-3/3	47
ITA-5/5	47
ITV-G	47
Mackenzie	52
Q2	49
Red River	52
Rocket 11	48
Rocket 22	48
Rocket 33	48, 49
Rocket 44	48, 49
Rocket 88	48, 49
SLiP-DB 14/2	48
SLiP-DB 14/4	48
SLiP-DB 16/2	48
SLiP-DB 16/4	48
SLiP XTRM 14/2	48
SLiP XTRM 14/4	48
X2	49

## C

### CleanScreen Kit

### CleanScreen Pack

### Connectors

507 Series Banana	50
507 Series Multi-Spade	50
1000 Series Banana	50
1000 Series Multi-Spade	50
Banana Connectors	51
CAT600 DCP Connectors	53
CAT600 FMJ Connectors	53
CAT700 Connectors	53
CAT700 Telegärtner Male Connector	53
Chicago RCA	52
Color Bands for 18 and 24 AWG ITC Connectors	47
F-90°	44
ITC-18G/BNC	47
ITC-18G/F	47
ITC-18G/RCA	47
ITC-24G/BNC	47
ITC-24G/F	47
ITC-24G/RCA	47
Mackenzie RCA	52
Mackenzie XLR	52
Pin Connectors	51
RCA-90°	44
RCA-300	44
RCA-800	44
Red River RCA	52
Red River XLR	52
Spade Connectors	51
SureGrip 100 Banana	50
SureGrip 100 Multi-Spade	50
SureGrip 300 Banana	50
SureGrip 300 Multi-Spade	50
XLR Connectors	44

### Couplers

F - F Coupler	43
HDMI A - A Coupler	
See also Installer Packs, pg. 55	
RCA - RCA Coupler	27

## D

### Dielectric-Bias Pack - 72v DBS Black, Enhanced Performance

### Dielectric-Bias Pack - 72v DBS Carbon, Maximum Performance

# Index

## Digital Coax Cables

Carbon .....	39
Cinnamon .....	39
Coffee.....	39
Diamond .....	39
Forest.....	39
See also Installer Packs, pg. 55	
WEL Signature.....	39
Wild.....	39

## Display Rack, In-Store .....

## Display Rack, Standalone.....

## DragonFly Black.....

## DragonFly Cobalt.....

## DragonFly Red .....

## E

### Ethernet Cables (RJ/E)

Cinnamon .....	41
See also Installer Packs, pg. 55	
Diamond .....	41
Forest.....	41
See also Installer Packs, pg. 55	
Pearl.....	41
See also Installer Packs, pg. 55	
Vodka.....	41

## F

### Fog Lifters.....

## G

### GroundGoody Jupiter.....

### GroundGoody Saturn.....

## H

### HDMI Cables

BlueBerry.....	34
See also Installer Packs, pg. 57	
Carbon 48.....	34, 35
Cherry Cola.....	34, 35
Cinnamon 48 .....	34
Dragon 48.....	35
Dragon eARC.....	35
FireBird 48.....	35
Forest 48.....	34
See also Installer Packs, pg. 57	
Pearl 48.....	34
See also Installer Packs, pg. 57	

ThunderBird 48 .....	35
ThunderBird eARC.....	35
Vodka 48.....	34, 35
Vodka eARC.....	34, 35

### Headphone Plug Adaptor.....

### HL-5 Headshell Leads .....

### Hooded Jacket.....

## J

JitterBug .....	5
See also USB Accessories, pg. 37	

## L

### License Plate.....

### LYRA

Atlas SL $\lambda$ Lambda .....	30
Atlas $\lambda$ Lambda .....	30
Atlas $\lambda$ Lambda Mono .....	30
Delos.....	30
Etna SL $\lambda$ Lambda .....	30
Etna $\lambda$ Lambda.....	30
Etna $\lambda$ Lambda Mono .....	30
Kleos.....	30
Kleos Mono.....	30
Kleos SL.....	30
Stylus Performance Treatment.....	30

## N

### NightBird Model One .....

### Noise-Stopper Caps

HDMI Noise-Stopper Caps .....	45
RCA Noise-Stopper Caps.....	45
RJ45 Noise-Stopper Caps.....	45
USB-A Noise-Stopper Caps.....	45
XLR Input (Female) Noise-Stopper Caps .....	45
XLR Output (Male) Noise-Stopper Caps .....	45

## O

### Optical Cables

Carbon .....	38
Cinnamon .....	38
Diamond .....	38
Forest.....	38
Pearl.....	38
Vodka.....	38

## P

### Pen.....

### Perch Headphone Stand.....

### Point of Purchase (POP) Materials..

### Polo Shirt .....

### PreAmp Jumpers .....

### Promotional Items, AQ Branded ..

## R

### Record Brush, Anti-Static.....

### Record Brush, Super-Conductive

### Anti-Static.....

### RJ/E Ethernet Cables.....

## S

### Silver Solder.....

### Slat Wall Sign.....

### SorboGel Q-Feet System .....

### Sorbothane Self-Stick Sheet.....

### Speaker Cables

Dragon BASS.....	22
Dragon BiWire COMBO .....	22
Dragon ZERO.....	22
FireBird BASS .....	21
FireBird BiWire COMBO.....	21
FireBird ZERO .....	21
Q2 .....	16
See also Bulk Cables, pg. 49	
Robin Hood BASS.....	18
Robin Hood BiWire COMBO .....	18
Robin Hood SILVER .....	18
Robin Hood SILVER BiWire COMBO ..	18
Robin Hood ZERO.....	18
Rocket 11 .....	17
See also Bulk Cables, pg.48	
Rocket 22.....	17
See also Bulk Cables, pg.48	
Rocket 33.....	17
See also Bulk Cables, pg.48	
Rocket 44 .....	17
See also Bulk Cables, pg.48	
Rocket 88.....	17
See also Bulk Cables, pg.48	
ThunderBird BASS.....	20
ThunderBird BiWire COMBO.....	20
ThunderBird ZERO.....	20
Type 5.....	16
Type 9.....	16
Type 9+DBS.....	16
William Tell BASS .....	19

William Tell BiWire COMBO.....	19
William Tell SILVER.....	19
William Tell SILVER BiWire COMBO ..	19
William Tell ZERO .....	19

## Splitters

FLX-Mini Splitter.....	27
FLX-X RCA Splitter .....	27
See also Installer Packs, pg. 54	
F to 2F Splitter.....	43
F to 4F Splitter .....	43
Hard RCA Splitter.....	27

## Spool Holder .....

### Subwoofer Cables

Black Lab.....	28
Boxer.....	28
Greyhound .....	28
Husky.....	28
Irish Red.....	28
Wolf.....	28

## T

### Tent Card.....

### Termination "Pants" for Speaker Cables .....

### Tonearm Cables

Cougar.....	29
LeoPard .....	29
WEL Signature.....	29
WildCat .....	29

## Tools

AQ Ratchet Crimper Tool .....	46
Binding-Post Wrench.....	46
Cat6/6a/7 Crimper Tool and Die ...	46
Cat6 Die.....	46
Ideal Articulated Stripper .....	46
ITC One-Step Stripper for 18 and 24 AWG .....	47
Klein Cable Cutter.....	46
Klein Crimper Tool .....	46
Paladin Jacket Stripper.....	46
Rivers Interconnect Crimper Tool .....	46, 52
Wire Stripper/Cutter/Plier Combo Tool.....	46

### Tote Bag.....

### T-Shirt.....

### Tumbler .....

# Index

## U

### USB Cables

<i>Carbon</i> .....	36
<i>Cinnamon</i> .....	36
<i>Coffee</i> .....	36
<i>Diamond</i> .....	36
<i>Forest</i> .....	36
<i>Pearl</i> .....	36

## W

### Wall Outlets

<i>NRG Edison (15 Amp)</i> .....	12
<i>NRG Edison (20 Amp)</i> .....	12


<b>Water Bottle</b> .....	57
---------------------------	----

<b>Window Sticker</b> .....	56
-----------------------------	----









**audioquest®**

**California, USA ▪ The Netherlands**  
**Tel +1 949.790.6000 ▪ [www.audioquest.com](http://www.audioquest.com)**